



PURCHASING SECTION
13450 – 104 Avenue, Surrey BC V3T 1V8
Tel: 604-590-7274

E-mail: purchasing@surrey.ca

ADDENDUM #1

REQUEST FOR QUOTATIONS (RFQ) NO.: 1220-040-2018-108

TITLE: GRANDVIEW HEIGHTS AQUATIC CENTRE
OVERHEAD LIGHTING LED UPGRADE

ADDENDUM ISSUE DATE: November 30, 2018

CLOSING DATE: prefer to receive Quotations on or before:
December 6, 2018

INFORMATION FOR CONTRACTORS

This Addendum is issued to provide additional information to the RFQ for the above named project, to the extent referenced and shall become a part thereof. No consideration will be allowed for extras due to the Contractor not being familiar with this Addendum. This Addendum No. 1 contains three (3) pages in total.

INFORMATION MEETING:

A second information meeting will be hosted by the City Representative to discuss the City's requirements under this RFQ (the "**Information Meeting**"). While attendance is at the discretion of Contractors, Contractors who do not attend will be deemed to have attended the second Information Meeting and to have received all of the information given at the Information Meeting.

At the time of issuance of this RFQ a meeting has been scheduled as follows:

Date: **Tuesday, December 4, 2018**

Time: 9:30 AM Pacific Time

Location: 16855 24 Avenue, Surrey, BC

It is possible that some questions raised and information provided during the Information Meeting may be the only source of critical information essential to prepare and submit a successful Quotation. Contractors are responsible to ensure they are fully informed and have a clear understanding of the requirements.

Contractors are to examine the site prior to submitting a Quotation to fully acquaint themselves with all existing conditions reasonably inferable from examination of the site and its surroundings and the RFQ and to make allowance for such conditions in the Quotation. By submitting a Quotation, a Contractor represents that it has examined the site fully as to all conditions, contingencies, risks and circumstances, local or otherwise, which might influence or affect the performance of the Work.

Note: No minutes of the information meeting and site tour will be provided

The Contractor is responsible for parking fees, if applicable.

REVISIONS:

- 1) Schedule A – Scope of Work and Drawings, 1. Description of Scope of Work is hereby deleted and replaced with the following:

1. DESCRIPTION OF SCOPE OF WORK

For certainty, the Work contemplated by this Schedule A shall be interpreted to include compensation on account of all related costs, including but not limited to all direct, indirect, or impact, head office, Overhead, and all other costs, and all markups and profits, even if the Contract Documents does not specifically mention such items.

The Contractor shall furnish everything needed to perform all of the requirements of this Contract including without limitation any and all material required but not supplied by the City, all labour, transportation and services required to faithfully perform and provide the Work at the Place of Work as required for and to the satisfaction of the City.

The Work on this project generally includes, but is not limited to:

- Providing a general breakdown of material list, labour expectations and pricing; and the removal of existing overhead pool HID lighting fixtures; the supply of new LED fixtures and related parts; the installation of new LED fixtures, including a new independent wireless lighting control system, as specified in the Appendix 2A drawings.

Place of Work location is 16855 24 Avenue, Surrey, BC.

Furnish certificates confirming work conforms to requirements of authorities having jurisdiction.

The detailed scope of work is as described on the Drawings (listed below), Special Provisions (Schedule B – Appendix 1), and Supplementary Specifications (Project) (Schedule B- Appendix 2).

The lack of and/or omission of detailed specifications does not minimize the acceptable levels of service and only the best commercial practices are acceptable.

Contractor to comply with all BC Plumbing Code, BC Fire Marshal, BC Workers' Compensation Board, National Building Code of Canada, BC Boiler Inspector, BC Electrical Inspector, National Fire Protection Association, and any other authorities

having local jurisdiction. Failure to abide by these rules and regulations will result in being immediately escorted from the work site.

- 2) Schedule B – Appendix 1 Special Provisions, S.P.2 Scope of Work is hereby deleted and replaced with the following:

The Contractor shall furnish everything needed to perform all of the requirements of this Contract including without limitation any and all material required but not supplied by the City, all labour, transportation, General Conditions and services required to faithfully perform and provide the Work at the Place of Work as required for and to the satisfaction of the City.

- The general components of Work includes, but not limited to, providing a general breakdown of material list, labour expectations and pricing; and the removal of existing overhead pool HID lighting fixtures; the supply of new LED fixtures and related parts; the installation of new LED fixtures, including a new independent wireless lighting control system, as specified in the Appendix 2A drawings.

Place of Work location is 16855 24 Avenue, Surrey, BC.

The Contractor is to furnish certificates confirming Work conforms to requirements of authorities having jurisdiction.

The detailed scope of work is as described on the Drawings (listed below), Special Provisions (Schedule B – Appendix 1), and Supplementary Specifications (Project) (Schedule B- Appendix 2).

The lack of and/or omission of detailed specifications does not minimize the acceptable levels of service and only the best commercial practices are acceptable.

Contractor to comply with all BC Plumbing Code, BC Fire Marshal, BC Workers' Compensation Board, National Building Code of Canada, BC Boiler Inspector, BC Electrical Inspector, National Fire Protection Association, and any other authorities having local jurisdiction. Failure to abide by these rules and regulations will result in being immediately escorted from the work site.

END OF ADDENDUM #1

All Addenda will become part of the RFQ Documents.
