



Corporate NO: R206

Report COUNCIL DATE: September 25, 2000

REGULAR COUNCIL

TO: Mayor & Council **DATE: September 8, 2000**

FROM: General Manager, Engineering **FILE: 7800-0117-00**

XC: 4751-006

SUBJECT: Inclusion of 'Fleetwood' Lands Within the GVRD's Fraser Sewerage Area

RECOMMENDATION

It is recommended that Council adopt the following resolution:

“That the GVRD be requested to include the Clubhouse & Maintenance facilities on the Surrey Golf Course Lands within the 'Fraser Sewerage Area'.”

DISCUSSION

The building premises of the Surrey Golf Course are currently not within the Fraser Sewerage Area (shown on the attached Sketch #1). They need to improve their facility with a sewer service connected to the GVRD's system. It is therefore appropriate to request the GVRD to include these lands within the 'Fraser Sewerage Area'.

The proposed addition will result in no change to the City's share of the GVRD's sewage charges, as the GVRD is moving from an assessment basis to a flow-based cost allocation. Changes in assessment after 1999 will not affect this phase-in.

Jorgen Johansen, P. Eng.

General Manager, Engineering

AL/FCC:sew

Attachment

g:\2000\utility\sewer\09071330.al

brb 09/08/00 09:58 AM

