



REQUEST FOR QUOTATIONS

Title: SUPPLY AND DELIVERY OF FIFTEEN (15) [MORE or LESS]
DUAL FUEL (CNG & GASOLINE) ½ TON PICKUP TRUCKS

Reference No.: 1220-040-2018-040

FOR THE SUPPLY OF GOODS

(General Services)

REQUEST FOR QUOTATIONS

TABLE OF CONTENTS

1. INTRODUCTION	3
2. ADDRESS FOR DELIVERY	3
3. DATE	4
4. INQUIRIES	4
5. ADDENDA	4
6. NO CONTRACT	4
7. ACCEPTANCE	4
8. CONTRACTOR'S EXPENSES	5
9. CONTRACTOR'S QUALIFICATIONS	5
10. CONFLICT OF INTEREST	5
11. SOLICITATION OF COUNCIL MEMBERS, CITY STAFF AND CITY CONSULTANTS	5
12. CONFIDENTIALITY	5
13. SIGNATURE	5
14. BRAND NAMES SPECIFICATIONS AND/OR REFERENCES	6
15. MULTIPLE PREFERRED CONTRACTORS	6
16. ANTICIPATED QUANTITIES	6
17. FACTORY INSTALLATION	7

ATTACHMENT No. 1 – QUOTATION AGREEMENT - GOODS

SCHEDULE A – SPECIFICATION OF GOODS

SCHEDULE A-1 – TECHNICAL SPECIFICATIONS

SCHEDULE B – QUOTATION

REQUEST FOR QUOTATIONS

1. INTRODUCTION

The City of Surrey (the "**City**") invites contractors to provide a Quotation on the form attached as Schedule B to Attachment 1 (the "**Quotation**") for the supply of the goods and services described in Schedule A to Attachment 1 (the "Goods and Services"). The description of the Goods and Services sets out the minimum requirements of the City. A person that submits a Quotation (the "**Contractor**") should prepare a Quotation that meets the minimum requirements, and may as it may choose, in addition, to also include goods, services or terms that exceed the minimum requirements.

2. ADDRESS FOR DELIVERY

A Quotation should be labelled with the Contractor's name, RFQ title and number. A Quotation should be submitted in the form attached to this RFQ as Schedule B – Form of Quotation.

The Contractor may submit a Quotation either by email or in a hard copy, as follows:

(a) Email

If the Contractor chooses to submit by email, the Contractor should submit the Quotation electronically in a single pdf file which must be delivered to the City by email at: purchasing@surrey.ca

PDF emailed Quotations are preferred and the City will confirm receipt of emails. Note that the maximum file size the City can receive is 10Mb. If sending large email attachments, Contractors should phone to confirm receipt. A Contractor bears all risk that the City's equipment functions properly so that the City receives the Quotation.

(b) Hard Copy

If the Contractor chooses NOT to submit by email, the Contractor should submit one original unbound Quotation and one (1) copy (two (2) in total) which should be delivered to the City at the office of:

Name: Richard Oppelt
Purchasing Manager
at the following location:

Address: Surrey City Hall
Finance & Technology Department - Purchasing Section
Reception Counter, 5th Floor West
13450 - 104 Avenue,
Surrey, B.C., Canada V3T 1V8

3. DATE

The City would prefer to receive Quotations on or before, **June 27, 2018**. The City's office hours are 8:30 a.m. to 4:00 p.m., Monday to Friday, except statutory holidays.

4. INQUIRIES

All inquiries related to this Request for Quotations ("RFQ") should be directed in writing to the person named below (the "**City Representative**"). Information obtained from any other source other than the City Representative may not be relied upon.

Name: Richard Oppelt, Purchasing Section

E-mail: purchasing@surrey.ca

Reference: 1220-040-2018-040

5. ADDENDA

If the City determines that an amendment is required to this RFQ, the City Representative will issue a written addendum by posting it on the BC Bid Website at www.bcbid.gov.bc.ca (the "BC Bid Website") and the City Website at www.surrey.ca (the "City Website") that will form part of this RFQ. It is the responsibility of Contractors to check the BC Bid Website and the City Website for addenda. The only way this RFQ may be added to, or amended in any way, is by a formal written addendum. No other communication, whether written or oral, from any person will affect or modify the terms of this RFQ or may be relied upon by any Contractor. By delivery of a Quotation, Contractor is deemed to have received, accepted and understood the entire RFQ, including any and all addenda.

6. NO CONTRACT

This RFQ is simply an invitation for quotations (including prices and terms) for the convenience of all parties. It is not a tender and no obligations of any kind will arise from this RFQ or the submission of Quotations. The City may negotiate changes to any terms of a Quotation, including terms in Attachment 1 and Schedules A and B and including prices, and may negotiate with one or more Contractors or may at any time invite or permit the submission of quotations (including prices and terms) from other parties who have not submitted Quotations.

7. ACCEPTANCE

A Quotation will be an offer to the City which the City may accept at any time by signing the copy of the Quotation and delivering it to the Contractor. A Quotation is not accepted by the City unless and until both the authorized signatory of the Contractor and the authorized signatory of the City have signed. Delivery of the signed Agreement by the City may be by fax pdf e-mail or hard copy. In that event, the contract will be

compromised of the documents included in the definition of Agreement in Attachment No.1 – Quotation Agreement - Goods

8. CONTRACTOR'S EXPENSES

Contractors are solely responsible for their own expenses in preparing and submitting Quotations, and for any meetings, negotiations or discussions with the City or its representatives and consultants, relating to or arising from the RFQ. The City will not be liable to any Contractor for any claims, whether for costs, expenses, losses or damages, or loss of anticipated profits, incurred by the Contractor in preparing and submitting a Quotation, or participating in negotiations for a contract, or other activity related to or arising out of this RFQ.

9. CONTRACTOR'S QUALIFICATIONS

By submitting a Quotation, a Contractor represents that it has the expertise, qualifications, resources, and relevant experience to supply the Goods and Services.

10. CONFLICT OF INTEREST

A Contractor should disclose in its Quotation any actual or potential conflicts of interest and existing business relationships it may have with the City, its elected or appointed officials or employees. The City may rely on such disclosure.

11. SOLICITATION OF COUNCIL MEMBERS, CITY STAFF AND CITY CONSULTANTS

Contractors and their agents will not contact any member of the City Council and City staff with respect to this RFQ, other than the contact person named in Section 4, at any time prior to the award of a contract or the cancellation of this RFQ.

12. CONFIDENTIALITY

All Quotations become the property of the City and will not be returned to the Contractor. All Quotations will be held in confidence by the City unless otherwise required by law. Contractors should be aware the City is a "public body" defined by and subject to the *Freedom of Information and Protection of Privacy Act* of British Columbia.

13. SIGNATURE

The legal name of the person or firm submitting the Quotation should be inserted in the Quotation. The Quotation should be signed by a person authorized to sign on behalf of the Contractor and include the following:

- (a) If the Contractor is a corporation then the full name of the corporation should be included, together with the names of authorized signatories. The Quotation should be executed by all of the authorized signatories or by one or more of them provided that a copy of the corporate resolution authorizing those persons to execute the Quotation on behalf of the corporation is submitted;
- (b) If the Contractor is a partnership or joint venture then the name of the partnership or joint venture and the name of each partner or joint venturer should be included, and each partner or joint venturer should sign personally (or, if one or

more person(s) have signing authority for the partnership or joint venture, the partnership or joint venture should provide evidence to the satisfaction of the City that the person(s) signing have signing authority for the partnership or joint venture). If a partner or joint venturer is a corporation then such corporation should sign as indicated in subsection (a) above; or

- (c) If the Contractor is an individual, including a sole proprietorship, the name of the individual should be included.

14. BRAND NAMES SPECIFICATIONS AND/OR REFERENCES

Wherever the specifications state a brand name, make, name of manufacturer, trade name, or Contractor catalogue number, it is for the purpose of establishing a grade or standard. It is not intended to rule out competition from equal brands or makes. If vehicles or equipment other than that specified is offered, it is the Contractor's responsibility to provide information in its Quotation that enables the City to confirm equivalency and acceptance.

Except where stated otherwise, the specifications described in Schedule A describe what is considered necessary to meet the performance requirements of the City and Contractors should consider this in its Quotation. If the Contractor cannot meet specifications, the Contractor may identify and offer an alternative which it believes to be an equal or better alternative.

Contractors shall clearly indicate any variances from the City's specifications or conditions and attach descriptive literature.

The City is not obligated to accept any alternatives. The City will determine what constitutes acceptable deviations and overall best value.

15. MULTIPLE PREFERRED CONTRACTORS

The City reserves the right and discretion to divide up the Goods, either by scope, geographic area, or other basis as the City may decide, and to select one or more preferred Contractors to enter into discussions with the City for one or more Contracts to perform a portion or portions of the Goods. If the City exercises its discretion to divide up the Goods, the City will do so reasonably having regard for the RFQ and the basis of Quotations.

In addition to any other provision of this RFQ, Quotations may be evaluated on the basis of advantages and disadvantages to the City that might result or be achieved from the City dividing up the Goods and entering into one or more Contracts with one or more Quotations.

16. ANTICIPATED QUANTITIES

The City reserves the right and discretion to place orders on quoted items during the duration of the term of the agreement as per Schedule B – Form of Quotation on an as

per need basis. All quantities are anticipated quantities only and may or may not increase or decrease according to requirements.

17. FACTORY INSTALLATION

Items that are available from the factory should be factory installed. If factory installation of an item is not available to the dealer and the dealer is making a dealer modification in order to meet the specification, it should be clearly noted in your response.

- END OF PAGE -

Attachment No. 1 – DRAFT QUOTATION AGREEMENT – GOODS

Reference RFQ Title: Supply and Delivery of Fifteen (15) [More or Less] Dual Fuel (CNG and Gasoline) ½ Ton Pickup Trucks

RFQ No.: 1220-040-2018-040

BETWEEN:

CITY OF SURREY
13450 - 104 Avenue
Surrey BC V3T 1V8

(the "City")

AND:

(the "Contractor")

WHEREAS the City wishes to engage the Contractor to provide the Goods and the Contractor agrees to provide the Goods.

THEREFORE in consideration of the payment of one (\$1.00) dollar and other good and valuable consideration paid by each of the parties to the other (the receipt and sufficiency of which is hereby acknowledged) the City and the Contractor agree as follows:

DEFINITIONS AND INTERPRETATION

1. In these General Terms and Conditions:
 - (a) "Agreement" means this agreement and all schedules attached hereto;
 - (b) "City" means the City of Surrey;
 - (c) "Contractor" means a contractor whose Quotation has been accepted by the City and who is supplying the Goods under this Agreement;
 - (d) "Goods" means the equipment or materials that are the subject of this Agreement;
 - (e) "Purchase Price" means the price quoted by the Contractor and accepted by the City, unless otherwise agreed by the parties in writing, and includes all taxes, duties, freight charges and other charges except GST; and
 - (f) "RFQ" means the Request for Quotations.
2. This Agreement may be modified only by express and specific written agreement. In the event of a conflict between the provisions of any documents listed below, then the documents shall govern and take precedence in the following order:
 - (a) this Agreement;
 - (b) the RFQ;
 - (c) the Quotation; and
 - (d) other terms, if any, that are agreed to by the parties in writing.

3. The following attached Schedules are a part of this Agreement:

Schedule A – Specifications of Goods;
Schedule A-1 – Technical Specifications; and
Schedule B – Quotation.

GOODS

4. The Contractor will supply the Goods in accordance with this Agreement. The Goods supplied will meet the specifications set out in Schedule A of this Agreement.
5. The Contractor will deliver the Goods free and clear of all liens and encumbrances in the manner and to the destination stipulated. In the event of the Contractor's failure to meet this condition, the Contractor will, on written notice from the City, forthwith return all monies paid by the City on account of the Goods and in addition the City may by written notice terminate this Agreement without liability, and in such event, in addition to the above, the Contractor will be liable for any and all expenses or losses incurred by the City resulting from such failure.

PURCHASE PRICE

6. The City will pay the Purchase Price to the Contractor in accordance with this Agreement. The Purchase Price shall also include without limitation all costs of boxing, packing, crating, and loading and unloading the Goods at the prescribed destination.
7. Time is of the essence.

PAYMENT

8. Invoices should include the Contractor's name, address and telephone number, the City's purchase order number, the Contractor's invoice number, the Contractor's GST registration number or an indication that it is not applicable if the Contractor is a small trader, the quantity, tax (if any) and the complete Purchase Price calculations, including extensions and discounts.
9. The City will pay the invoice, in the amount as the City determines is correct less any deductions for setoffs or holdbacks permitted by this Agreement including, without limitation, those described in Sections 11, 12 and 13, within 30 days of the receipt of the invoice, unless the parties have agreed in writing to other payment terms. The payment by the City of any invoice will not bind the City with respect to any subsequent payment or final payment and will not mean that the City has accepted that the Goods are in accordance with the requirements of this Agreement, or that the Contractor is in any manner released from its obligation to comply with this Agreement.
10. Unless otherwise provided, all dollar amounts referred to in this Agreement are in lawful money of Canada.

Please send your hard copy invoices by mail to:

Name: Keith Sharp
Address: 6645 – 148 Street Surrey
B.C. V3S 3C7

DEFICIENCIES

11. The City shall have a reasonable time to inspect and to accept the Goods. The City may reject any Goods not in accordance with this Agreement, whether due to damage resulting from improper packing, loading, unloading or otherwise. The City shall notify the Contractor of rejection of the Goods whereupon the Goods will be held subject to the disposition by the Contractor. Any costs or expenses incurred by the City as a result of the rejection of the Goods are, immediately upon written demand by the City, payable by the Contractor, and may be set off against any payments owing by the City to the Contractor.
12. The City may hold back from payments otherwise due to the Contractor up to 150% of a reasonable estimate, as determined by the City, on account of deficient or defective materials. This holdback may be held, without interest, until replacement Goods are received or such deficiency or defect is remedied.

DEFAULT AND TERMINATION

13. In the event the Contractor does not ship the Goods by the shipping date specified in this Agreement, or does not deliver the Goods by the delivery date specified in this Agreement, or otherwise fails to comply with the requirements of this Agreement, then:
 - (a) the City reserves the right to terminate this Agreement, in whole or in part, and in the event of such termination no payment will be owing by the City on account of this Agreement and the Contractor will be liable for any and all expenses or loss resulting from such failure or delay and will return all monies paid by the City; or
 - (b) if the City does not terminate this Agreement for late shipping or delivery, the City may deduct and setoff from any payments owing to the Contractor all additional costs the City reasonably incurs on account of the late shipping or delivery.
14. The City may by written notice at any time cancel this Agreement with respect to Goods which, as of the date of cancellation, have not been shipped.
15. If the Contractor becomes insolvent or makes an assignment for the benefit of creditors or a receiver or trustee is appointed for the property of the Contractor, then the City may, at its election, and without prejudice to its rights at law or in equity, terminate this Agreement.
16. The City will not accept nor be responsible for any restocking charges for any Goods shipped to the City and then, for whatever reason, returned to the Contractor pursuant

to this Agreement. The Contractor is to bear all costs including shipping and handling of returned Goods.

WARRANTIES AND INDEMNITIES

17. The Contractor warrants that the Goods shall be free from defects in design, materials, workmanship and title, shall conform in all respects to the terms of this Agreement, shall be fit and suitable and perform satisfactorily for the purposes and under the conditions made known to the Contractor by the City or which were reasonably inferable. The Goods shall be at least equal to the higher of national standards or codes (such as, by way of illustration, CSA or ASTM), or standards and codes customarily applicable at the place where the City will use the Goods. The Goods shall be of the best quality, if no quality is specified. This general warranty is independent of and without prejudice to any specific warranty or service guarantee offered by the Contractor or third party manufacturer or supplier of the Goods in connection with the purpose for which the Goods were purchased. The Contractor shall assign to the City any warranty or service guarantee offered by a third party manufacturer or supplier of the Goods. Notwithstanding this assignment, if at any time up to one year from the date of delivery or installation (if applicable) the City determines the Goods or any part do not conform to these warranties, the City shall notify the Contractor within a reasonable time after such discovery, and the Contractor shall then promptly correct such nonconformity at the Contractor's expense. Goods used to correct a nonconformity shall be similarly warranted for one year from the date of installation. The Contractor's liability shall extend to all liabilities, losses, damages, claims and expenses incurred by the City caused by any breach of any of the above warranties.
18. The Contractor warrants and guarantees that Goods delivered under this Agreement do not infringe any valid patent, copyright or trademark, foreign or domestic, owned or controlled by any other corporation, firm or person, and agrees to indemnify and save harmless the City and all of its elected and appointed officials, officers, employees, servants, representatives and agents (collectively the "Indemnitees"), from and against any and all claims, demands, causes of action, suits, losses, damages and costs, liabilities, expenses and judgments (including all actual legal costs) by reason of any claim, action or litigation arising out of any alleged or actual infringement of any patent, copyright or trademark, foreign or domestic, relating to the Goods supplied under this Agreement.
19. The Contractor represents and warrants that all Goods delivered under this Agreement shall comply with all applicable codes, statutes, by-laws, rules and regulations, or any federal, provincial, municipal or other competent authority for the time being in force, including any environmental laws and that the Goods are not dangerous to the environment or to person or health.
20. The Contractor will indemnify and save harmless the Indemnitees from and against all claims, demands, causes of action, suits, losses, damages and costs, liabilities expenses and judgments (including all actual legal costs) for damage to or destruction

or loss of property, including loss of use, and injury to or death of any person or persons which any of the Indemnitees incur, suffer or are put to arising out of or in connection with any failure, breach or non-performance by the Contractor of any obligation of this Agreement, or any wrongful or negligent act or omission of the Contractor or any employee or agent of the Contractor.

CUSTOMS

21. Documentation for shipments of Goods from outside Canada shall be provided by a Contractor by airmail and shall include all documents as required by law or customary practice. All packages shall be marked as follows:

“Upon arrival, please contact customs broker:
Livingston International Inc.
Telephone: 604-685-3555
Fax: 604-605-8231
Email: cst19@livingstonintl.com”

INSPECTIONS

22. If this Agreement pertains to the fabrication, assembly or other processing of the Goods, representatives of the City shall be permitted free access at all reasonable times for the purpose of inspection, testing or obtaining information as to the progress of the fabrication, assembly or processing.

SAFETY

23. If this Agreement includes any inspection, installation or other work on the City's premises by the Contractor, or representative or sub-contractor of the Contractor, all such activity shall be performed and undertaken in strict compliance with all applicable health and safety laws and regulations, including, without limitation, the Workers Compensation Act, the Occupational Health & Safety Regulation and the Hazardous Products Act, and also in strict compliance with any published and issued by the City for use at the City's premises. The Contractor shall provide the City with the Contractor's Workers Compensation Board registration number and a letter from the Workers Compensation Board confirming the Contractor is registered in good standing with the Workers Compensation Board and that all assessments have been paid to the date thereof prior to the City having any obligation to pay monies under this Agreement.

WHMIS/MSDS

24. The Contractor covenants and agrees to comply with all the Workers Compensation Board Occupational Health and Safety Regulations for hazardous materials and substances, and in particular with the “Workplace Hazardous Materials Information

Systems (WHMIS)" Regulations. All "Material Safety Data Sheets (MSDS)" will be shipped along with the Goods and any future MSDS updates will be forwarded.

SHOP DRAWINGS

25. The City may require that shop drawings be submitted by the Contractor for review prior to the delivery of the Goods. The City may require that a qualified registered professional engineer stamp and approve a shop drawing prior to submission. Any review of shop drawings by the City will not relieve the Contractor from its obligation to deliver Goods in full compliance with all requirements of this Agreement.

WAIVER

26. Any failure of the City at any time or from time to time to enforce or require the strict keeping or performance of any of the terms and conditions contained in this Agreement shall not constitute a waiver of the terms and conditions and shall not affect or impair the terms or conditions in any way or the City's right at any time to avail itself of any remedies as the City may have for any breach or breaches of the terms and conditions.

APPLICABLE LAW

27. This Agreement shall be governed by and construed in accordance with the laws of the Province of British Columbia. The City and the Contractor accept the jurisdiction of the courts of British Columbia and agree that any action under this Agreement shall be brought in such courts.

NOTICES

28. Any notice, report or other document that either party may be required or may wish to give to the other should be in writing, unless otherwise expressly provided for, and will be deemed to be validly given to and received by the addressee:
- (a) by hand, on delivery;
 - (b) by facsimile, on transmission; or
 - (c) by mail, five calendar days after posting.

The addresses for delivery will be as follows:

- (a) The City:
Attention:
- (b) The Contractor:
Attention:

MERGER AND SURVIVAL

29. The representations, agreements, covenants and obligations set out in this Agreement shall survive the delivery of the Goods and payment of the Purchase Price.

ENTIRE AGREEMENT

30. This Agreement, including any other documents expressly included by reference in this Agreement, contains the entire agreement of the parties regarding the provision of the Goods, and no understandings or agreements, oral or otherwise, exist between the parties except as expressly set out in this Agreement. This Agreement supersedes and cancels all previous agreements between the parties relating to the Goods.
31. In the event that the Contractor issues an invoice, packing slip, sales receipt, or any like document to the City, the City accepts the document on the express condition that any terms and conditions in it which constitute terms and conditions which are in addition to or which establish conflicting terms and conditions to those set out in this Agreement are expressly rejected by the City.

SPECIAL CONDITIONS

DEALERSHIP EMBLEMS/LOGOS

32. The Contractor will not install on the vehicle, any logos, nameplates or stickers denoting the name of the company or dealership that may be considered as advertising. Failure to comply with this requirement will result in the dealership being given the option to remove same, or reimburse the City for removal and restoration, if needed.

NEW VEHICLE

33. Equipment/vehicles are to be new and unused and not previously titled.

REJECTIONS

34. All materials or equipment shall be subject to inspection or test and shall meet the approval of the Fleet & Garage Manager and his decision shall be final and binding upon all parties. Such inspection, at the option of the City, may be carried out at the place of business of the Contractor and the Contractor shall assist the Fleet & Garage Manager, or his designate in the performance of his duties.
35. Should materials or equipment be defective in quality of workmanship or otherwise fail to conform to the specifications set forth, the Fleet & Garage Manager shall have the right to reject them or require their immediate correction.

36. Materials or equipment requiring correction shall be removed for correction or corrected in place as requested by the Fleet & Garage Manager at no expense to the City. Unavoidable expense encountered by the City shall be chargeable to the Contractor and deductible from any monies owing the Contractor by the City.
37. If the Contractor fails to take proper action promptly when requested by the Manager, Fleet & Garage, the City may replace or correct materials as necessary and charge the cost of such replacement to the Contractor or the City may terminate the Agreement as provided for herein.

SIGNATURE

38. This Agreement may be executed in one or more counterparts all of which when taken together will constitute one and the same Agreement, and one or more of the counterparts may be delivered by fax transmission or as a pdf file.

- END OF PAGE -

ENUREMENT

39. This Agreement shall enure to the benefit of and be binding upon the respective successors and permitted assigns of the City and the Contractor.

This Quotation Agreement is executed by the Contractor this _____ day of _____, 201__.

CONTRACTOR

I/We have the authority to bind the Contractor.

(Legal Name of Contractor)

(Signature of Authorized Signatory)

(Signature of Authorized Signatory)

(Print Name and Position of Authorized Signatory)

(Print Name and Position of Authorized Signatory)

This Quotation Agreement is executed by the City of Surrey this _____ day of _____, 201__.

CITY OF SURREY

by its authorized signatory:

(Signature of Authorized Signatory)

(Print Name and Position of Authorized Signatory)

SCHEDULE A – SPECIFICATION OF GOODS

PROJECT TITLE: SUPPLY AND DELIVERY OF FIFTEEN (15) [MORE OR LESS] DUAL FUEL (CNG & GASOLINE) ½ TON PICKUP TRUCKS

PROJECT No.: 1220-040-2018-040

1. GENERAL DESCRIPTION

It is the intent of this specification to provide for the purchase of 2018/19 model trucks. The vehicles shall have gaseous prepared engines, capable of running dual fuels (CNG and Gasoline). The vehicles shall be supplied with factory approved CNG conversion, and shall be warranted by the vehicle manufacturer. Conversions which are not factory approved or carry the vehicle manufacturers warranty are not acceptable. The Contractor shall provide details of the layout and configuration of the installed CNG tanks. The installation of the tanks shall be done in a manner as to maximize the load carrying space of the trucks.

2. EQUIVALENT PRODUCT

Quotations will be accepted for consideration on any make or model that is equal or superior to the trucks specified. Decisions of equivalency will be at the sole interpretation of the Fleet and Garage Manager of the City's Engineering Department. A blanket statement that equipment proposed will meet all requirements will not be sufficient to establish equivalence. Original manufacturer's brochures of the proposed unit are to be submitted with the Quotation.

All modifications made to the standard production unit described in the manufacturer's brochures should be certified by the manufacturer and submitted with the Quotation, or the Quotation may be deemed "non-responsive" and rejected without further review. Contractor should be prepared to demonstrate a unit similar to the one proposed, if requested.

3. DELIVERY

The trucks shall be delivered F.O.B. Destination, Freight Prepaid to the City of Surrey in first class operating condition. If the Contractor should store, park, or hold the vehicles until such a time that the City, at its sole discretion, requires them, the Contractor will store the vehicles at no additional cost to the City.

The Contractor is to notify the City's Fleet Services Department, not less than three (3) working days prior to expected delivery / arrival to permit inspection scheduling. An authorized representative of the Seller is to supervise delivery and off-loading to the City. The City will not assume any liability for vehicle/equipment delivered to an unauthorized location.

Contractor is to provide the following documentation upon delivery:

- Copy of Purchase Order and Original Invoice(s).
- Warranty Policy(ies) and/or certifications as may be required in the Specifications.
- Parts, service, operators and maintenance manual(s) as may be required in the Technical Specifications.

Each unit is to be delivered clean and shall be complete with all equipment operable. The unit(s) will be inspected by the City before delivery to determine compliance with the specifications and/or to test its ability to perform its intended use.

Each Contractor should state in their submission the guaranteed delivery date in number of calendar days from the date after receipt of order (ARO).

4. TITLE, RISK OF LOSS, FREIGHT

Title of goods received under a purchase order agreement shall remain with the Contractor until they are delivered to the City's Works Yard, 6645 – 148th St., Surrey, BC at which time title passes to the City of Surrey. The Contractor will bear all risks of loss, theft, injury, or destruction or damage of goods and materials ordered herein which occur prior to delivery and acceptance. Such loss, injury, or destruction or damage shall not release the Contractor from any obligations under.

5. MANUFACTURER'S WARRANTY

The Contractor will be required to furnish a warranty by the manufacturer that the equipment is suitable for the service intended, in accordance with the specifications defined herein. The Contractor shall agree to replace and install without charge [including all labour], within the scope of the warranty, any defective part or any parts that are determined by the City not to be suitable for the service intended.

The warranty period will go into effect at the time the vehicle is placed into service by the City. Contractors are to include a complete warranty statement with their Quotation.

6. OPTIONAL ITEMS

The City of Surrey may choose, at its sole discretion, to add any or all of the optional items to this purchase. Contractor shall provide on a cover letter with a list of options and prices.

- END OF PAGE -

SCHEDULE A-1 –TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS

The specification herein states the preferred requirements of the City of Surrey. All Quotations are regular in every respect. Unauthorized conditions, limitations, or provisions may be cause for rejection.

1. HALF TON REGULAR CAB 8' BOX

Preferred Specifications	
1. Exterior	
1.1	Colour - White
1.2	8' box or provide dimensions
1.3	Heated mirrors
1.4	Vent visors to be fitted to both front door windows
2. Engine	
2.1	Engine shall be prepared (gaseous prep engine) to run on CNG and gasoline, and shall comply with all Provincial and Federal engine emission regulations
2.2	State engine configuration, size
2.3	Full manufactures warranty with CNG conversion should be provided
2.4	Cooling system to -30F
2.5	CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components
3. Transmission, Brakes	
3.1	Automatic transmission, state number of speeds
3.2	Power assisted ABS brakes
3.3	Limited slip differential
4. Fuel Tanks	
4.1	The manufacturers gasoline fuel tank shall remain
4.2	CNG tank(s) shall be a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable
4.3	Fuel gauge for each fuel type shall be provided in easy view for the driver
4.4	Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance
4.5	The mounting of the tanks shall be certified by a qualified engineer.
4.6	CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.
4.7	A hinged access flap shall be provided in the top of the cover for access to the tank shut off valve
4.8	The CNG filling port (where possible) shall be located in the same location as the gasoline filler

Preferred Specifications	
4.9	Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.
5. Wheels, Tires	
5.1	Michelin winter tires (snow flake)
5.2	Full size spare tire
6. Interior	
6.1	Seats 40/20/40 split front seat, vinyl covered
6.2	Two 12 volt power outlets shall be provided
6.3	Rubber floor mats shall be provided for all seating areas
6.4	Air conditioning
6.5	AM/FM radio with Bluetooth
7. Miscellaneous	
7.1	Keyless entry with 3 sets of keys
7.2	Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller
7.3	Spray in bed liner, under rail, including tailgate
7.4	State GVW in lbs
7.5	State max towing capacity in lbs
7.6	Aluminum cab guard – mesh type (Brand - DeeZee)
7.7	Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.
7.8	Back up alarm - Grote part # 73040 97 dBA
7.9	Fire extinguisher 2.5lb dry powder ABC type
7.10	Splash guards front and rear
7.11	The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.
7.12	The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.
8. CNG	
8.1	The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)
9. Warranty	
9.1	Provide details of manufacturer's warranty
9.2	Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following): <ul style="list-style-type: none"> • VIN • Engine details including serial number

Preferred Specifications	
	<ul style="list-style-type: none"> • Transmission details including serial number • Diff details including serial number • Oil types and quantities for all components • Tire make, type and size • Engine belts details • Filter list for all components • Battery details • Beacon light make

2. HALF TON SUPER CAB 6.5' BOX

Preferred Specifications	
1.	Exterior
1.1	Colour - White
1.2	6.5' box or provide dimensions
1.3	Heated mirrors
1.4	Vent visors to be fitted to both front door windows
2.	Engine
2.1	Engine shall be prepared (gaseous prep engine) to run on CNG and gasoline, and shall comply with all Provincial and Federal engine emission regulations
2.2	State engine configuration, size
2.3	Full manufactures warranty with CNG conversion should be provided
2.4	Cooling system to -30F
2.5	CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components
3.	Transmission, Brakes
3.1	Automatic transmission, state number of speeds
3.2	Power assisted ABS brakes
3.3	Limited slip differential
4.	Fuel Tanks
4.1	The manufacturers gasoline fuel tank shall remain
4.2	CNG tank(s) shall be a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable
4.3	Fuel gauge for each fuel type shall be provided in easy view for the driver
4.4	Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance
4.5	The mounting of the tanks shall be certified by a qualified engineer.
4.6	CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.
4.7	A hinged access flap shall be provided in the top of the cover for access to the tank shut off valve

Preferred Specifications	
4.8	The CNG filling port shall be located in the same location as the gasoline filler
4.9	Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.
5. Wheels, Tires	
5.1	Michelin winter tires (snow flake)
5.2	Full size spare tire
6. Interior	
6.1	Seats 40/20/40 split front seat, vinyl covered
6.2	Two 12 volt power outlets shall be provided
6.3	Rubber floor mats shall be provided for all seating areas
6.4	Air conditioning
6.5	AM/FM radio with Bluetooth
7. Miscellaneous	
7.1	Keyless entry with 3 sets of keys
7.2	Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller
7.3	Spray in bed liner, under rail, including tailgate
7.4	State GVW in lbs
7.5	State max towing capacity in lbs
7.6	Aluminum cab guard – mesh type (Brand - DeeZee)
7.7	Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.
7.8	Back up alarm - Grote part # 73040 97 dBA
7.9	Fire extinguisher 2.5lb dry powder ABC type
7.10	Splash guards front and rear
7.11	The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.
7.12	The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.
8. CNG	
8.1	The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)
9. Warranty	
9.1	Provide details of manufacturer's warranty
9.2	Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following): <ul style="list-style-type: none"> • VIN

Preferred Specifications
<ul style="list-style-type: none">• Engine details including serial number• Transmission details including serial number• Diff details including serial number• Oil types and quantities for all components• Tire make, type and size• Engine belts details• Filter list for all components• Battery details• Beacon light make

3. HALF TON SUPER CAB 8' BOX

Preferred Specifications
1. Exterior
1.1 Colour - White
1.2 8' box or provide dimensions
1.3 Heated mirrors
1.4 Vent visors to be fitted to both front door windows
2. Engine
2.1 Engine shall be prepared (gaseous prep engine) to run on CNG and gasoline, and shall comply with all Provincial and Federal engine emission regulations
2.2 State engine configuration, size
2.3 Full manufactures warranty with CNG conversion should be provided
2.4 Cooling system to -30F
2.5 CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components
3. Transmission, Brakes
3.1 Automatic transmission, state number of speeds
3.2 Power assisted ABS brakes
3.3 Limited slip differential
4. Fuel Tanks
4.1 The manufacturers gasoline fuel tank shall remain
4.2 CNG tank(s) shall be a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable
4.3 Fuel gauge for each fuel type shall be provided in easy view for the driver
4.4 Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance.
4.5 The mounting of the tanks shall be certified by a qualified engineer.
4.6 CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.
4.7 A hinged access flap shall be provided in the top of the cover for access to the tank

Preferred Specifications	
	shut off valve
4.8	The CNG filling port shall be located in the same location as the gasoline filler
4.9	Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.
5. Wheels, Tires	
5.1	Michelin winter tires (snow flake)
5.2	Full size spare tire
6. Interior	
6.1	Seats 40/20/40 split front seat, vinyl covered
6.2	Two 12 volt power outlets shall be provided
6.3	Rubber floor mats shall be provided for all seating areas
6.4	Air conditioning
6.5	AM/FM radio with Bluetooth
7. Miscellaneous	
7.1	Keyless entry with 3 sets of keys
7.2	Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller
7.3	Spray in bed liner, under rail, including tailgate
7.4	State GVW in lbs
7.5	State max towing capacity in lbs
7.6	Aluminum cab guard – mesh type (Brand - DeeZee)
7.7	Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.
7.8	Back up alarm - Grote part # 73040 97 dBA
7.9	Fire extinguisher 2.5lb dry powder ABC type
7.10	Splash guards front and rear
7.11	The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.
7.12	The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.
8. CNG	
8.1	The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)
9. Warranty	
9.1	Provide details of manufacturer's warranty
9.2	Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following):

Preferred Specifications	
	<ul style="list-style-type: none"> • VIN • Engine details including serial number • Transmission details including serial number • Diff details including serial number • Oil types and quantities for all components • Tire make, type and size • Engine belts details • Filter list for all components • Battery details • Beacon light make

4. HALF TON SUPER CAB 4X4 8' BOX

Preferred Specifications	
1.	Exterior
1.1	Colour - White
1.2	8' box or provide dimensions
1.3	Heated mirrors
1.4	Vent visors to be fitted to both front door windows
2.	Engine
2.1	Engine shall be prepared to run on CNG and gasoline
2.2	State engine configuration, size
2.3	Full manufactures warranty with CNG conversion should be provided
2.4	Cooling system to -30F
2.5	CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components
3.	Transmission, Brakes
3.1	Automatic transmission, state number of speeds
3.2	Power assisted ABS brakes
3.3	Limited slip differential
3.4	Front axle shall have freewheeling hubs
4.	Fuel Tanks
4.1	The manufacturers gasoline fuel tank shall remain
4.2	CNG tank(s) shall be of a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable
4.3	Fuel gauge for each fuel type shall be provided in easy view for the driver
4.4	Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance.
4.5	The mounting of the tanks shall be certified by a qualified engineer.
4.6	CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.
4.7	A hinged access flap shall be provided in the top of the cover for access to the tank shut

Preferred Specifications	
	off valve
4.8	The CNG filling port shall be located in the same location as the gasoline filler
4.9	Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.
5. Wheels, Tires	
5.1	All Terrain tires
5.2	Full size spare tire
6. Interior	
6.1	Seats 40/20/40 split front seat, vinyl covered
6.2	Two 12 volt power outlets shall be provided
6.3	Rubber floor mats shall be provided for all seating areas
6.4	Air conditioning
6.5	AM/FM radio with Bluetooth
7. Miscellaneous	
7.1	Keyless entry with 3 sets of keys
7.2	Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller
7.3	Spray in bed liner, under rail, including tailgate
7.4	State GVW in lbs
7.5	State max towing capacity in lbs
7.6	Aluminum cab guard – mesh type (Brand - DeeZee)
7.7	Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.
7.8	Back up alarm - Grote part # 73040 97 dBA
7.9	Fire extinguisher 2.5lb dry powder ABC type
7.10	Splash guards front and rear
7.11	Running boards shall be supplied and fitted
7.12	The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.
7.13	The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.
8. CNG	
8.1	The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)
9. Warranty	
9.1	Provide details of manufacturer's warranty

Preferred Specifications	
9.2	<p>Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following):</p> <ul style="list-style-type: none">• VIN• Engine details including serial number• Transmission details including serial number• Diff details including serial number• Oil types and quantities for all components• Tire make, type and size• Engine belts details• Filter list for all components• Battery details• Beacon light make

- END OF PAGE -



SCHEDULE B – FORM OF QUOTATION

RFQ Title: SUPPLY AND DELIVERY OF FIFTEEN (15) [MORE OR LESS] DUAL FUEL (CNG & GASOLINE) ½ TON PICKUP TRUCKS

RFQ No: 1220-040-2018-040

CONTRACTOR

Legal Name: _____

Contact Person and Title: _____

Business Address: _____

Business Telephone: _____

Business Fax: _____

Business E-Mail Address: _____

CITY OF SURREY

TO:

City Representative: Richard D. Oppelt, Purchasing Manager

Address: Surrey City Hall
Finance & Technology Department – Purchasing Section
Reception Counter, 5th Floor West
13450 – 104th Avenue, Surrey, B.C., V3T 1V8

Telephone: 604-590-7274

Email: purchasing@surrey.ca

1. The Contractor offers to supply to the City of Surrey the Goods for the prices plus applicable taxes as follows:

QUOTATION 1 - HALF TON REGULAR CAB 8' BOX

Year, Make & Model: _____

All costs to meet the preferred specifications shall be included in the following delivered prices.

F.O.B. Destination Freight Prepaid	Payment Terms: A cash discount of ____% will be allowed if invoices are paid within ____ days, or the ____ day of the month following, or net 30 days, on a best effort basis.	Ship Via:
ITEM	HALF TON REGULAR CAB 8' BOX	
VEHICLE QUANTITY PRICE ENVIRONMENTAL LEVY [BATTERY] TIRE STEWARDSHIP B.C. (TSBC) OTHER: _____ _____ _____ SUBTOTAL GST 5% PST 7%	Note: Provide price and quantity where price breaks are applicable <div style="display: flex; justify-content: space-between;"> 1 </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div> <div style="display: flex; justify-content: space-between;"> \$ _____ </div>	
TOTAL QUOTED PRICE:	\$ _____	
CURRENCY: CANADIAN		

The completed unit shall be delivered within _____ days after receipt of purchase order.

Manufacturer's Warranty: State Warranty _____

Body Warranty: State Warranty _____

Warranty repairs shall be performed at _____

Please complete if applicable: British Columbia Certified ☐

SPECIFICATIONS

The specification herein states the preferred requirements of the City of Surrey. All Quotations are regular in every respect. Unauthorized conditions, limitations, or provisions may be cause for rejection. The City of Surrey will consider as "irregular" or "non-responsive" any Quotation not prepared and submitted in accordance with the RFQ document and specification, or any Quotation lacking sufficient technical literature to enable the City to make a reasonable determination of compliance to the specification.

It shall be the Contractor's responsibility to carefully examine each item of the specification. Failure to offer a completed Quotation or failure to respond to each section of the technical specification may cause the Quotation to be rejected without review as "non-responsive". All variances, exceptions and/or deviations shall be fully described in the appropriate section.

Note: Contractors are directed to list complete manufacturers' details of model proposed in the right-side column under manufacturers' specifications

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor shall complete all spaces in this column.
1. Exterior			
1.1 Colour - White	<input type="checkbox"/>	<input type="checkbox"/>	
1.2 8' box or provide dimensions	<input type="checkbox"/>	<input type="checkbox"/>	
1.3 Heated mirrors	<input type="checkbox"/>	<input type="checkbox"/>	
1.4 Vent visors to be fitted to both front door windows	<input type="checkbox"/>	<input type="checkbox"/>	
2. Engine			
2.1 Engine shall be prepared (gaseous prep engine) to run on CNG and gasoline, and shall comply with all Provincial and Federal engine emission regulations	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 State engine configuration, size	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Full manufactures warranty with CNG conversion should be provided	<input type="checkbox"/>	<input type="checkbox"/>	
2.4 Cooling system to -30F	<input type="checkbox"/>	<input type="checkbox"/>	
2.5 CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components	<input type="checkbox"/>	<input type="checkbox"/>	
3. Transmission, Brakes			
3.1 Automatic transmission, state number of speeds	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Power assisted ABS brakes	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Limited slip differential	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor shall complete all spaces in this column.
4. Fuel Tanks			
4.1 The manufacturers gasoline fuel tank shall remain	<input type="checkbox"/>	<input type="checkbox"/>	
4.2 CNG tank(s) shall be a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable	<input type="checkbox"/>	<input type="checkbox"/>	
4.3 Fuel gauge for each fuel type shall be provided in easy view for the driver	<input type="checkbox"/>	<input type="checkbox"/>	
4.4 Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance	<input type="checkbox"/>	<input type="checkbox"/>	
4.5 The mounting of the tanks shall be certified by a qualified engineer.	<input type="checkbox"/>	<input type="checkbox"/>	
4.6 CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.	<input type="checkbox"/>	<input type="checkbox"/>	
4.7 A hinged access flap shall be provided in the top of the cover for access to the tank shut off valve	<input type="checkbox"/>	<input type="checkbox"/>	
4.8 The CNG filling port (where possible) shall be located in the same location as the gasoline filler	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Wheels, Tires			
5.1 Michelin winter tires (snow flake)	<input type="checkbox"/>	<input type="checkbox"/>	
5.2 Full size spare tire	<input type="checkbox"/>	<input type="checkbox"/>	
6. Interior			
6.1 Seats 40/20/40 split front seat, vinyl covered	<input type="checkbox"/>	<input type="checkbox"/>	
6.2 Two 12 volt power outlets shall be provided	<input type="checkbox"/>	<input type="checkbox"/>	
6.3 Rubber floor mats shall be provided for all seating areas	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Air conditioning	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor shall complete all spaces in this column.
6.5 AM/FM radio with Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	
7. Miscellaneous			
7.1 Keyless entry with 3 sets of keys	<input type="checkbox"/>	<input type="checkbox"/>	
7.2 Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller	<input type="checkbox"/>	<input type="checkbox"/>	
7.3 Spray in bed liner, under rail, including tailgate	<input type="checkbox"/>	<input type="checkbox"/>	
7.4 State GVW in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.5 State max towing capacity in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.6 Aluminum cab guard – mesh type (Brand - DeeZee)	<input type="checkbox"/>	<input type="checkbox"/>	
7.7 Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.	<input type="checkbox"/>	<input type="checkbox"/>	
7.8 Back up alarm - Grote part # 73040 97 dBA	<input type="checkbox"/>	<input type="checkbox"/>	
7.9 Fire extinguisher 2.5lb dry powder ABC type	<input type="checkbox"/>	<input type="checkbox"/>	
7.10 Splash guards front and rear	<input type="checkbox"/>	<input type="checkbox"/>	
7.11 The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.	<input type="checkbox"/>	<input type="checkbox"/>	
7.12 The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.	<input type="checkbox"/>	<input type="checkbox"/>	
8. CNG			
8.1 The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)	<input type="checkbox"/>	<input type="checkbox"/>	
9. Warranty			
9.1 Provide details of manufacturer's warranty	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor shall complete all spaces in this column.
9.2 Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following): <ul style="list-style-type: none"> • VIN • Engine details including serial number • Transmission details including serial number • Diff details including serial number • Oil types and quantities for all components • Tire make, type and size • Engine belts details • Filter list for all components • Battery details • Beacon light make 	□	□	

- END OF PAGE -

QUOTATION 2 – HALF TON SUPER CAB 6.5' BOX

Year, Make & Model: _____

All costs to meet the minimum specifications shall be included in the following delivered prices.

F.O.B. Destination Freight Prepaid	Payment Terms: A cash discount of ____% will be allowed if invoices are paid within ____ days, or the ____ day of the month following, or net 30 days, on a best effort basis.	Ship Via:
ITEM	HALF TON SUPER CAB 6.5' BOX	
VEHICLE QUANTITY		
PRICE	\$ _____	
ENVIRONMENTAL LEVY [BATTERY]	\$ _____	
TIRE STEWARDSHIP B.C. (TSBC)	\$ _____	
OTHER:		
_____	\$ _____	
_____	\$ _____	
_____	\$ _____	
SUBTOTAL	\$ _____	
GST 5%	\$ _____	
PST 7%	\$ _____	
TOTAL QUOTED PRICE:	\$ _____	
CURRENCY: CANADIAN		

The completed unit shall be delivered within _____ days after receipt of purchase order.

Manufacturer's Warranty: State Warranty _____

Body Warranty: State Warranty _____

Warranty repairs shall be performed at _____

Please complete if applicable: British Columbia Certified ☐

SPECIFICATIONS

The specification herein states the preferred requirements of the City of Surrey. All Quotations are regular in every respect. Unauthorized conditions, limitations, or provisions may be cause for rejection. The City of Surrey will consider as "irregular" or "non-responsive" any Quotation not prepared and submitted in accordance with the RFQ document and specification, or any Quotation lacking sufficient technical literature to enable the City to make a reasonable determination of compliance to the specification.

It shall be the Contractor's responsibility to carefully examine each item of the specification. Failure to offer a completed Quotation or failure to respond to each section of the technical specification may cause the Quotation to be rejected without review as "non-responsive". All variances, exceptions and/or deviations shall be fully described in the appropriate section.

Note: Contractors are directed to list complete manufacturers' details of model proposed in the right-side column under manufacturers' specifications

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
1. Exterior			
1.1 Colour - White	<input type="checkbox"/>	<input type="checkbox"/>	
1.2 6.5' box or provide dimensions	<input type="checkbox"/>	<input type="checkbox"/>	
1.3 Heated mirrors	<input type="checkbox"/>	<input type="checkbox"/>	
1.4 Vent visors to be fitted to both front door windows	<input type="checkbox"/>	<input type="checkbox"/>	
2. Engine			
2.1 Engine shall be prepared (gaseous prep engine) to run on CNG and gasoline, and shall comply with all Provincial and Federal engine emission regulations	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 State engine configuration, size	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Full manufactures warranty with CNG conversion should be provided	<input type="checkbox"/>	<input type="checkbox"/>	
2.4 Cooling system to -30F	<input type="checkbox"/>	<input type="checkbox"/>	
2.5 CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components	<input type="checkbox"/>	<input type="checkbox"/>	
3. Transmission, Brakes			
3.1 Automatic transmission, state number of speeds	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Power assisted ABS brakes	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Limited slip differential	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
4. Fuel Tanks			
4.1 The manufacturers gasoline fuel tank shall remain	<input type="checkbox"/>	<input type="checkbox"/>	
4.2 CNG tank(s) shall be a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable	<input type="checkbox"/>	<input type="checkbox"/>	
4.3 Fuel gauge for each fuel type shall be provided in easy view for the driver	<input type="checkbox"/>	<input type="checkbox"/>	
4.4 Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance	<input type="checkbox"/>	<input type="checkbox"/>	
4.5 The mounting of the tanks shall be certified by a qualified engineer.	<input type="checkbox"/>	<input type="checkbox"/>	
4.6 CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.	<input type="checkbox"/>	<input type="checkbox"/>	
4.7 A hinged access flap shall be provided in the top of the cover for access to the tank shut off valve	<input type="checkbox"/>	<input type="checkbox"/>	
4.8 The CNG filling port shall be located in the same location as the gasoline filler	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Wheels, Tires			
5.1 Michelin winter tires (snow flake)	<input type="checkbox"/>	<input type="checkbox"/>	
5.2 Full size spare tire	<input type="checkbox"/>	<input type="checkbox"/>	
6. Interior			
6.1 Seats 40/20/40 split front seat, vinyl covered	<input type="checkbox"/>	<input type="checkbox"/>	
6.2 Two 12 volt power outlets shall be provided	<input type="checkbox"/>	<input type="checkbox"/>	
6.3 Rubber floor mats shall be provided for all seating areas	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Air conditioning	<input type="checkbox"/>	<input type="checkbox"/>	
6.5 AM/FM radio with Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
7. Miscellaneous			
7.1 Keyless entry with 3 sets of keys	<input type="checkbox"/>	<input type="checkbox"/>	
7.2 Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller	<input type="checkbox"/>	<input type="checkbox"/>	
7.3 Spray in bed liner, under rail, including tailgate	<input type="checkbox"/>	<input type="checkbox"/>	
7.4 State GVW in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.5 State max towing capacity in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.6 Aluminum cab guard – mesh type (Brand - DeeZee)	<input type="checkbox"/>	<input type="checkbox"/>	
7.7 Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.	<input type="checkbox"/>	<input type="checkbox"/>	
7.8 Back up alarm - Grote part # 73040 97 dBA	<input type="checkbox"/>	<input type="checkbox"/>	
7.9 Fire extinguisher 2.5lb dry powder ABC type	<input type="checkbox"/>	<input type="checkbox"/>	
7.10 Splash guards front and rear	<input type="checkbox"/>	<input type="checkbox"/>	
7.11 The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.	<input type="checkbox"/>	<input type="checkbox"/>	
7.12 The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.	<input type="checkbox"/>	<input type="checkbox"/>	
8. CNG			
8.1 The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)	<input type="checkbox"/>	<input type="checkbox"/>	
9. Warranty			
9.1 Provide details of manufacturer's warranty	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
9.2 Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following): <ul style="list-style-type: none"> • VIN • Engine details including serial number • Transmission details including serial number • Diff details including serial number • Oil types and quantities for all components • Tire make, type and size • Engine belts details • Filter list for all components • Battery details • Beacon light make 	<input type="checkbox"/>	<input type="checkbox"/>	

- END OF PAGE -

QUOTATION 3 – HALF TON SUPER CAB 8' BOX

Year, Make & Model: _____

All costs to meet the minimum specifications shall be included in the following delivered prices.

F.O.B. Destination Freight Prepaid	Payment Terms: A cash discount of ____% will be allowed if invoices are paid within ____ days, or the ____ day of the month following, or net 30 days, on a best effort basis.	Ship Via:
ITEM	HALF TON SUPER CAB 8' BOX	
VEHICLE QUANTITY		
PRICE	\$ _____	
ENVIRONMENTAL LEVY [BATTERY]	\$ _____	
TIRE STEWARDSHIP B.C. (TSBC)	\$ _____	
OTHER:		
_____	\$ _____	
_____	\$ _____	
_____	\$ _____	
SUBTOTAL	\$ _____	
GST 5%	\$ _____	
PST 7%	\$ _____	
TOTAL QUOTED PRICE:	\$ _____	
CURRENCY: CANADIAN		

The completed unit shall be delivered within _____ days after receipt of purchase order.

Manufacturer's Warranty: State Warranty _____

Body Warranty: State Warranty _____

Warranty repairs shall be performed at _____

Please complete if applicable: British Columbia Certified ☐

SPECIFICATIONS

The specification herein states the preferred requirements of the City of Surrey. All Quotations are regular in every respect. Unauthorized conditions, limitations, or provisions may be cause for rejection. The City of Surrey will consider as "irregular" or "non-responsive" any Quotation not prepared and submitted in accordance with the RFQ document and specification, or any Quotation lacking sufficient technical literature to enable the City to make a reasonable determination of compliance to the specification.

It shall be the Contractor's responsibility to carefully examine each item of the specification. Failure to offer a completed Quotation or failure to respond to each section of the technical specification may cause the Quotation to be rejected without review as "non-responsive". All variances, exceptions and/or deviations shall be fully described in the appropriate section.

Note: Contractors are directed to list complete manufacturers' details of model proposed in the right-side column under manufacturers' specifications

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
1. Exterior			
1.1 Colour - White	<input type="checkbox"/>	<input type="checkbox"/>	
1.2 8' box or provide dimensions	<input type="checkbox"/>	<input type="checkbox"/>	
1.3 Heated mirrors	<input type="checkbox"/>	<input type="checkbox"/>	
1.4 Vent visors to be fitted to both front door windows	<input type="checkbox"/>	<input type="checkbox"/>	
2. Engine			
2.1 Engine shall be prepared (gaseous prep engine) to run on CNG and gasoline, and shall comply with all Provincial and Federal engine emission regulations	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 State engine configuration, size	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Full manufactures warranty with CNG conversion should be provided	<input type="checkbox"/>	<input type="checkbox"/>	
2.4 Cooling system to -30F	<input type="checkbox"/>	<input type="checkbox"/>	
2.5 CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components	<input type="checkbox"/>	<input type="checkbox"/>	
3. Transmission, Brakes			
3.1 Automatic transmission, state number of speeds	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Power assisted ABS brakes	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Limited slip differential	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	✓ (Yes)	✓ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
4. Fuel Tanks			
4.1 The manufacturers gasoline fuel tank shall remain	<input type="checkbox"/>	<input type="checkbox"/>	
4.2 CNG tank(s) shall be a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable	<input type="checkbox"/>	<input type="checkbox"/>	
4.3 Fuel gauge for each fuel type shall be provided in easy view for the driver	<input type="checkbox"/>	<input type="checkbox"/>	
4.4 Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance.	<input type="checkbox"/>	<input type="checkbox"/>	
4.5 The mounting of the tanks shall be certified by a qualified engineer.	<input type="checkbox"/>	<input type="checkbox"/>	
4.6 CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.	<input type="checkbox"/>	<input type="checkbox"/>	
4.7 A hinged access flap shall be provided in the top of the cover for access to the tank shut off valve	<input type="checkbox"/>	<input type="checkbox"/>	
4.8 The CNG filling port shall be located in the same location as the gasoline filler	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Wheels, Tires			
5.1 Michelin winter tires (snow flake)	<input type="checkbox"/>	<input type="checkbox"/>	
5.2 Full size spare tire	<input type="checkbox"/>	<input type="checkbox"/>	
6. Interior			
6.1 Seats 40/20/40 split front seat, vinyl covered	<input type="checkbox"/>	<input type="checkbox"/>	
6.2 Two 12 volt power outlets shall be provided	<input type="checkbox"/>	<input type="checkbox"/>	
6.3 Rubber floor mats shall be provided for all seating areas	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Air conditioning	<input type="checkbox"/>	<input type="checkbox"/>	
6.5 AM/FM radio with Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
7. Miscellaneous			
7.1 Keyless entry with 3 sets of keys	<input type="checkbox"/>	<input type="checkbox"/>	
7.2 Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller	<input type="checkbox"/>	<input type="checkbox"/>	
7.3 Spray in bed liner, under rail, including tailgate	<input type="checkbox"/>	<input type="checkbox"/>	
7.4 State GVW in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.5 State max towing capacity in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.6 Aluminum cab guard – mesh type (Brand - DeeZee)	<input type="checkbox"/>	<input type="checkbox"/>	
7.7 Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.	<input type="checkbox"/>	<input type="checkbox"/>	
7.8 Back up alarm - Grote part # 73040 97 dBA	<input type="checkbox"/>	<input type="checkbox"/>	
7.9 Fire extinguisher 2.5lb dry powder ABC type	<input type="checkbox"/>	<input type="checkbox"/>	
7.10 Splash guards front and rear	<input type="checkbox"/>	<input type="checkbox"/>	
7.11 The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.	<input type="checkbox"/>	<input type="checkbox"/>	
7.12 The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.	<input type="checkbox"/>	<input type="checkbox"/>	
8. CNG			
8.1 The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)	<input type="checkbox"/>	<input type="checkbox"/>	
9. Warranty			
9.1 Provide details of manufacturer's warranty	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
9.2 Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following): <ul style="list-style-type: none"> • VIN • Engine details including serial number • Transmission details including serial number • Diff details including serial number • Oil types and quantities for all components • Tire make, type and size • Engine belts details • Filter list for all components • Battery details • Beacon light make 	<input type="checkbox"/>	<input type="checkbox"/>	

- END OF PAGE -

QUOTATION 4 – HALF TON SUPER CAB 4X4 8' BOX

Year, Make & Model: _____

All costs to meet the minimum specifications shall be included in the following delivered prices.

F.O.B. Destination Freight Prepaid	Payment Terms: A cash discount of ____% will be allowed if invoices are paid within ____ days, or the ____ day of the month following, or net 30 days, on a best effort basis.	Ship Via:
ITEM	HALF TON SUPER CAB 4X4 8' BOX	
VEHICLE QUANTITY		
PRICE	\$ _____	
ENVIRONMENTAL LEVY [BATTERY]	\$ _____	
TIRE STEWARDSHIP B.C. (TSBC)	\$ _____	
OTHER:		
_____	\$ _____	
_____	\$ _____	
_____	\$ _____	
SUBTOTAL	\$ _____	
GST 5%	\$ _____	
PST 7%	\$ _____	
TOTAL QUOTED PRICE:	\$ _____	
CURRENCY: CANADIAN		

The completed unit shall be delivered within _____ days after receipt of purchase order.

Manufacturer's Warranty: State Warranty _____

Body Warranty: State Warranty _____

Warranty repairs shall be performed at _____

Please complete if applicable: British Columbia Certified ☐

SPECIFICATIONS

The specification herein states the preferred requirements of the City of Surrey. All Quotations are regular in every respect. Unauthorized conditions, limitations, or provisions may be cause for rejection. The City of Surrey will consider as "irregular" or "non-responsive" any Quotation not prepared and submitted in accordance with the RFQ document and specification, or any Quotation lacking sufficient technical literature to enable the City to make a reasonable determination of compliance to the specification.

It shall be the Contractor's responsibility to carefully examine each item of the specification. Failure to offer a completed Quotation or failure to respond to each section of the technical specification may cause the Quotation to be rejected without review as "non-responsive". All variances, exceptions and/or deviations shall be fully described in the appropriate section.

Note: Contractors are directed to list complete manufacturers' details of model proposed in the right-side column under manufacturers' specifications

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
1. Exterior			
1.1 Colour - White	<input type="checkbox"/>	<input type="checkbox"/>	
1.2 8' box or provide dimensions	<input type="checkbox"/>	<input type="checkbox"/>	
1.3 Heated mirrors	<input type="checkbox"/>	<input type="checkbox"/>	
1.4 Vent visors to be fitted to both front door windows	<input type="checkbox"/>	<input type="checkbox"/>	
2. Engine			
2.1 Engine shall be prepared to run on CNG and gasoline	<input type="checkbox"/>	<input type="checkbox"/>	
2.2 State engine configuration, size	<input type="checkbox"/>	<input type="checkbox"/>	
2.3 Full manufactures warranty with CNG conversion should be provided	<input type="checkbox"/>	<input type="checkbox"/>	
2.4 Cooling system to -30F	<input type="checkbox"/>	<input type="checkbox"/>	
2.5 CNG system to be integrated into manufacturer's engine management system. Only factory approved conversions will be acceptable. Preference will be given to PowerFuels or Landi Renzo conversion components	<input type="checkbox"/>	<input type="checkbox"/>	
3. Transmission, Brakes			
3.1 Automatic transmission, state number of speeds	<input type="checkbox"/>	<input type="checkbox"/>	
3.2 Power assisted ABS brakes	<input type="checkbox"/>	<input type="checkbox"/>	
3.3 Limited slip differential	<input type="checkbox"/>	<input type="checkbox"/>	
3.4 Front axle shall have freewheeling hubs	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
4. Fuel Tanks			
4.1 The manufacturers gasoline fuel tank shall remain	<input type="checkbox"/>	<input type="checkbox"/>	
4.2 CNG tank(s) shall be of a size of at least 24.5 GGE/93GLE to give sufficient operating range under normal operating conditions and shall be made of composite material – steel tanks are unacceptable	<input type="checkbox"/>	<input type="checkbox"/>	
4.3 Fuel gauge for each fuel type shall be provided in easy view for the driver	<input type="checkbox"/>	<input type="checkbox"/>	
4.4 Fuel tanks should be mounted to the vehicle in a manner to maximize box space. The tanks shall be mounted above the floor of the deck, with approximately 7" clearance.	<input type="checkbox"/>	<input type="checkbox"/>	
4.5 The mounting of the tanks shall be certified by a qualified engineer.	<input type="checkbox"/>	<input type="checkbox"/>	
4.6 CNG tank shall have an aluminum checker plate cover which protects the tank. The aluminum checker plate shall be a minimum of 3mm in thickness. The cover shall be securely attached to the box. The bottom of the tank shall be protected with 3mm aluminum plate. Contractors can view the specified cover and mounting assembly by arranging a time via the Purchasing Department.	<input type="checkbox"/>	<input type="checkbox"/>	
4.7 A hinged access flap shall be provided in the top of the cover for access to the tank shut off valve	<input type="checkbox"/>	<input type="checkbox"/>	
4.8 The CNG filling port shall be located in the same location as the gasoline filler	<input type="checkbox"/>	<input type="checkbox"/>	
4.9 Please install equipment as part of the installation that will allow for de-fueling of the CNG system including tank.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Wheels, Tires			
5.1 All terrain tires	<input type="checkbox"/>	<input type="checkbox"/>	
5.2 Full size spare tire	<input type="checkbox"/>	<input type="checkbox"/>	
6. Interior			
6.1 Seats 40/20/40 split front seat, vinyl covered	<input type="checkbox"/>	<input type="checkbox"/>	
6.2 Two 12 volt power outlets shall be provided	<input type="checkbox"/>	<input type="checkbox"/>	
6.3 Rubber floor mats shall be provided for all seating areas	<input type="checkbox"/>	<input type="checkbox"/>	
6.4 Air conditioning	<input type="checkbox"/>	<input type="checkbox"/>	
6.5 AM/FM radio with Bluetooth	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
7. Miscellaneous			
7.1 Keyless entry with 3 sets of keys	<input type="checkbox"/>	<input type="checkbox"/>	
7.2 Trailer Tow Package One complete hidden trailer hitch package, c/w receiver, hitch to match the maximum towing capability of the vehicle. Wiring to match 6 pin 1235 BX Cole Hersey t/plug and brake controller	<input type="checkbox"/>	<input type="checkbox"/>	
7.3 Spray in bed liner, under rail, including tailgate	<input type="checkbox"/>	<input type="checkbox"/>	
7.4 State GVW in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.5 State max towing capacity in lbs	<input type="checkbox"/>	<input type="checkbox"/>	
7.6 Aluminum cab guard – mesh type (Brand - DeeZee)	<input type="checkbox"/>	<input type="checkbox"/>	
7.7 Beacon light – LED amber Whelen (R2LPPA), to be mounted on cab guard to the left side of the vehicle. Light to be wired separately of the ignition switch. Switch to be illuminated when on.	<input type="checkbox"/>	<input type="checkbox"/>	
7.8 Back up alarm - Grote part # 73040 97 dBA	<input type="checkbox"/>	<input type="checkbox"/>	
7.9 Fire extinguisher 2.5lb dry powder ABC type	<input type="checkbox"/>	<input type="checkbox"/>	
7.10 Splash guards front and rear	<input type="checkbox"/>	<input type="checkbox"/>	
7.11 Running boards shall be supplied and fitted	<input type="checkbox"/>	<input type="checkbox"/>	
7.12 The vehicle shall be rust proofed with a product that provides long term protection, and does not require continued reapplication of the product. Contractor to provide details of product offered and warranty.	<input type="checkbox"/>	<input type="checkbox"/>	
7.13 The Contractor shall deliver the vehicles, registered, insured, and plated as per the City's insurance requirements through the City's insurance broker.	<input type="checkbox"/>	<input type="checkbox"/>	
8. CNG			
8.1 The vehicles shall default to run on CNG, and shall only operate on gasoline when the CNG tanks are empty. Vehicles may start on gasoline but should automatically switch to CNG once they reach operating temperature. (Please provide details)	<input type="checkbox"/>	<input type="checkbox"/>	
9. Warranty			
9.1 Provide details of manufacturer's warranty	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Specifications	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Bidder shall complete all spaces in this column.
9.2 Operators manuals / service manuals One service manual or CD c/w software A build sheet shall be provided detailing (but not limited to the following): <ul style="list-style-type: none"> • VIN • Engine details including serial number • Transmission details including serial number • Diff details including serial number • Oil types and quantities for all components • Tire make, type and size • Engine belts details • Filter list for all components • Battery details • Beacon light make 	<input type="checkbox"/>	<input type="checkbox"/>	

- END OF PAGE -

2. In addition to the warranties provided in the Draft Quotation Agreement, this Quotation includes the following warranties:

3. I/We have reviewed the RFQ Attachment 1, Schedule a – Specifications of Goods and if requested by the City, I/we would be prepared to meet those requirements, amended by the following departures and additions (list, if any):

Requested Departure(s) / Alternative(s) / Addition(s)

The City is not obligated to accept any alternatives. The City will determine what constitutes acceptable deviations and overall best value.

4. If this Quotation is accepted by the City, a contract will be created as described in:
- (a) The Agreement;
 - (b) the RFQ; and
 - (c) other terms, if any, that are agreed to by the parties in writing.
5. Capitalized terms used and not defined in this Quotation will have the meanings given to them in the RFQ. Except as specifically modified by this Quotation, all terms, conditions, representations, warranties and covenants as set out in the RFQ will remain in full force and effect.
6. I/We have reviewed the RFQ Attachment 1 – Draft Quotation Agreement. If requested by the City, I/we would be prepared to enter into that Agreement, amended by the following departures (list, if any):

Section	Requested Departure(s) / Alternative(s)
----------------	--

7. I/We the undersigned duly authorized representatives of the Contractor, having received and carefully reviewed the RFQ including without limitation the specifications and the General Terms and Conditions, submit this Quotation in response to the RFQ.

This Quotation is offered by the Contractor this _____ day of _____, 201__.

CONTRACTOR

I/We have the authority to bind the Contractor

(Legal Name of Contractor)

(Signature of Authorized Signatory)

(Signature of Authorized Signatory)

(Print Name and Position of Authorized Signatory)

(Print Name and Position of Authorized Signatory)