



REQUEST FOR QUOTATIONS

Title: Supply and Delivery of Two (More or Less) Wille 275 Tractor with Various Attachments

Reference No.: 1220-040-2023-012

FOR THE SUPPLY OF GOODS

(General Services)

Issue Date: February 22, 2023

TABLE OF CONTENTS

1.	INTRODUCTION	3
2.	ADDRESS FOR DELIVERY.....	3
3.	DATE	3
4.	INQUIRIES	3
5.	ADDENDA	4
6.	FORM OF QUOTATION	4
7.	QUOTATION PRICE.....	4
8.	EVALUATION OF QUOTATIONS	5
9.	RESERVATION OF RIGHTS	5
10.	NO AGREEMENT.....	6
11.	ACCEPTANCE	6
12.	CONTRACTOR'S EXPENSES.....	6
13.	CONTRACTOR'S QUALIFICATIONS	7
14.	CONFLICT OF INTEREST.....	7
15.	SOLICITATION OF COUNCIL MEMBERS, CITY STAFF AND CITY CONSULTANTS..	7
16.	CONFIDENTIALITY	7
17.	SIGNATURE.....	7
18.	EQUIVALENTS, SUBSTITUTIONS, ALTERNATIVES	8
19.	MULTIPLE CONTRACTORS.....	8
20.	FACTORY INSTALLATION.....	9
21.	ANTICIPATED QUANTITIES	9
	ATTACHMENT 1 – DRAFT QUOTATION AGREEMENT – GOODS	13
	SCHEDULE A – SPECIFICATIONS OF GOODS AND SCOPE OF SERVICES	32
	SCHEDULE A-1 – WILLE 275 TRACTOR PREFERRED TECHNICAL SPECIFICATIONS.....	34
	SCHEDULE B – FORM OF QUOTATION	42
	SCHEDULE B-1 – WILLE 275 TRACTOR PREFERRED TECHNICAL SPECIFICATIONS	
	RESPONSE FORM	48

REQUEST FOR QUOTATIONS

1. INTRODUCTION

The City of Surrey (the “**City**”) invites contractors to provide a quotation on the form attached as Schedule B – Form of Quotation to Attachment 1 – Draft Quotation Agreement (the “**Quotation**”) for the supply and delivery of the goods described in Schedule A – Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement - Goods (the “**Goods**”). The description of the Goods sets out the preferred specifications/requirements of the City. A person that submits a Quotation (the “**Contractor**”) should prepare a Quotation that meets the preferred specifications/requirements, and may as it may choose, in addition, also include goods, or terms that exceed the minimum requirements.

2. ADDRESS FOR DELIVERY

The Contractor should submit the Quotation **electronically** in a single pdf file which must be delivered to the City by email at: purchasing@surrey.ca

Confirmation of receipt of email will be issued. Quotations that cannot be opened or viewed may be rejected. A Contractor bears all risk that the City’s receiving equipment functions properly so that the City receives the Quotation.

Note: The maximum file size the City can receive is 10Mb. If sending large email attachments, Contractors should phone [604-590-7274] to confirm receipt.

3. DATE

The City would prefer to receive Quotations on or before **March 21, 2023** (the “**Date**”).

4. INQUIRIES

All inquiries related to this RFQ should be directed in writing to the person named below (the “**City Representative**”). Information obtained from any person or source other than the City Representative may not be relied upon.

Name: Sunny Kaila, Manager, Procurement Services

E-mail: purchasing@surrey.ca

Reference: 1220-040-2023-012

Inquiries should be made no later than 7 business days before the Date set out in Section 3. The City reserves the right not to respond to inquiries made within 7 business days of the Date set out in Section 3. Inquiries and responses will be recorded and may be distributed to all Contractors at the discretion of the City.

Contractors finding discrepancies or omissions in the Agreement or RFQ, or having doubts as to the meaning or intent of any provision, should immediately notify the City Representative. If the City determines that an amendment is required to this RFQ, the City Representative will issue an addendum in accordance with Section 5. No oral

conversation will affect or modify the terms of this RFQ or may be relied upon by any Contractor.

5. **ADDENDA**

If the City determines that an amendment is required to this RFQ, the City Representative will issue a written addendum by posting it on the BC Bid Website at www.bcbid.gov.bc.ca and the City Website at www.surrey.ca (collectively, the “Websites”), and upon posting, any addenda will form part of this RFQ. It is the responsibility of Contractors to check the Websites for addenda. The only way this RFQ may be added to, or amended in any way, is by a formal written addendum. No other communication, whether written or oral, from any person will affect or modify the terms of this RFQ or may be relied upon by any Contractor. By delivery of a Quotation, the Contractor is deemed to have received, accepted and understood the entire RFQ, including any and all addenda.

6. **FORM OF QUOTATION**

A Quotation should be labelled with the Contractor’s name, RFQ title and number.

To facilitate the evaluation of Quotations, a Quotation should be submitted in the form attached to this RFQ as Schedule B – Form of Quotation, Schedule B-1 – Wille 275 Tractor Preferred Technical Specifications Response Form, as applicable, including with respect to section numbering. All parts, pages, figures, and tables set out in a Quotation should be numbered and labeled clearly.

A Contractor should include in its Quotation a full response to each question or request for information set out in the RFQ, having regard to the form set out in Schedule B – Quotation.

The description of the Goods as described in Schedule A – Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement – Goods sets out the minimum requirements of the City. Without limiting the generality of the foregoing, a Contractor should prepare a Quotation that meets the minimum requirements, and may as it may choose, in addition, also include goods, or terms that exceed the minimum requirements.

7. **QUOTATION PRICE**

The prices set out in the Contractor’s Quotation will, applied in accordance with the terms as set out in Attachment 1 – Draft Quotation Agreement – Goods, represent the entire cost to the City for the complete performance of the supply and delivery of the Goods, exclusive only of GST. The aggregate of such prices (collectively, the “**Quotation Price**”) will be the Contractor’s total price for the complete performance of the supply and delivery of the Goods. The Quotation Price will be deemed to include:

- (a) all costs for labour, equipment and materials included in or required for the completion of the supply and delivery of the Goods, including all items which, while not specifically listed, are included in the supply and delivery of the Goods specifically or by necessary inference from the terms as set out in Attachment 1 – Draft Quotation Agreement – Goods;

- (b) all overhead costs, including head office and on-site overhead costs, and all amounts for the Contractor's profit; and
- (c) all costs required for compliance with all laws applicable to the performance of the supply and delivery of the Goods and the performance of the warranty obligations as described in Attachment 1 – Draft Quotation Agreement – Goods.

Without limiting the generality of the foregoing, the Quotation Price will be deemed to include all parts for body and chassis which are necessary in order to provide a complete unit, ready for operation, which conforms in strength, quality of workmanship, and materials to that which is usually provided by the trade in general.

8. EVALUATION OF QUOTATIONS

The City will compare and evaluate the Quotations to identify the Quotation(s) which the City, in its sole and absolute discretion, determines to be the most advantageous.

The City is not obligated to complete a detailed evaluation of all Quotations and may, after completing a preliminary review of all Quotations, identify and drop from any detailed evaluation any Contractor which, when compared to the other Contractors, the City determines, in its sole discretion, to not be in contention to be selected as the Contractor.

The City in its absolute discretion may apply some or all of the following evaluation criteria:

- (a) Technical – Design, Performance, Maintenance, Warranty;
- (b) Qualifications (resources, management, engineering, etc.);
- (c) Customer Service - relationships with customers, overall customer experience
- (d) Quotation Price;
- (e) Delivery; and
- (f) Past Performance in supply and delivering goods similar to the Goods.

9. RESERVATION OF RIGHTS

Notwithstanding any other provision in this RFQ:

- (a) The City need not necessarily consider the Quotation with the lowest Quotation Price, or any Quotation, and the City reserves the right to reject any and all Quotations at any time, or cancel the RFQ process, without further explanation, and to accept any Quotation the City considers to be in any way advantageous to it.
- (b) The City's acceptance of any Quotation is contingent on having sufficient funding for the purchase and achieving a mutually acceptable contract for the supply and delivery of the Goods.
- (c) Each Contractor, by submitting a Quotation, irrevocably:
 - (i) agrees that it will not bring any claim, demand, action, cause of action, suit or proceeding, whether arising in contract, tort (including negligence) or

otherwise (a “**Claim**”) against the City or any of its employees, directors, officers, advisors or representatives, or any one of them, for any costs, damages or other compensation in excess of an amount equivalent to the actual and reasonable costs directly and demonstrably incurred by the Contractor in preparing its Quotation for any matter relating directly or indirectly to this RFQ (including in the event that the City rejects or disqualifies or for any other reason fails to accept a Quotation, accepts a non-compliant Quotation or otherwise breaches, or fundamentally breaches, the terms of this RFQ or any duties arising from this RFQ); and

- (ii) waives any Claim against the City and its employees, directors, officers, advisors or representatives for any compensation of whatsoever nature or kind, including for loss of anticipated profits, loss of opportunity, indirect, incidental or consequential damages or losses if no contract between the Contractor and the City is entered into for the supply and delivery of the Goods for any reason whatsoever, including in the event that the City rejects or disqualifies or for any other reason fails to accept a Quotation, accepts a non-compliant Quotation or otherwise breaches, or fundamentally breaches, the terms of this RFQ or any duties arising from this RFQ.

- (d) If the City considers that all Quotations are priced too high, it may reject them all.

10. NO AGREEMENT

This RFQ is simply an invitation for quotations (including prices and terms) for the convenience of all parties. It is not a tender or a request for proposals and no obligations of any kind will arise from this RFQ or the submission of Quotations. The City may negotiate changes to any terms of a Quotation, including negotiation of amendments to Contractors’ prices in Schedule B to a Quotation, and may negotiate with one or more Contractors or may at any time invite or permit the submission of quotations (including prices and terms) from other parties who have not submitted Quotations. This RFQ does not commit the City in any way to select a Contractor or to proceed to negotiations for a contract, or to award any contract, and the City reserves the complete right to at any time reject all Quotations and to terminate this RFQ process.

11. ACCEPTANCE

A Quotation will be an offer to the City which the City may accept at any time by signing the copy of the Quotation and delivering it to the Contractor. A Quotation is not accepted by the City unless and until both the authorized signatory of the Contractor and the authorized signatory of the City have signed. Delivery of the signed Agreement by the City may be by fax or pdf e-mail or hard copy. In that event, the contract will be comprised of the documents included in the definition of Agreement in Attachment 1 – Draft Quotation Agreement – Goods.

12. CONTRACTOR'S EXPENSES

Contractors are solely responsible for their own expenses in preparing and submitting Quotations, and for any meetings, negotiations or discussions with the City or its representatives and consultants, relating to or arising from this RFQ. The City and its

representatives, agents, consultants and advisors will not be liable to any Contractor for any claims, whether for costs, expenses, losses or damages, or loss of anticipated profits, or for any matter whatsoever, incurred by the Contractor in preparing and submitting a Quotation, or participating in negotiations for a contract, or other activity related to or arising out of this RFQ.

13. CONTRACTOR'S QUALIFICATIONS

By submitting a Quotation, a Contractor represents that it has the expertise, qualifications, resources, and relevant experience to supply the Goods.

14. CONFLICT OF INTEREST

A Contractor should disclose in its Quotation any actual or potential conflicts of interest and existing business relationships it may have with the City, its elected or appointed officials or employees. The City may rely on such disclosure.

15. SOLICITATION OF COUNCIL MEMBERS, CITY STAFF AND CITY CONSULTANTS

Contractors and their agents will not contact any member of the City Council, City staff or City consultants with respect to this RFQ, other than the contact person named in Section 4, at any time prior to the award of a contract or the cancellation of this RFQ and which could be viewed as one Contractor attempting to seek an unfair advantage over other Contractors.

16. CONFIDENTIALITY

All Quotations become the property of the City and will not be returned to the Contractor. All Quotations will be held in confidence by the City unless otherwise required by law. Contractors should be aware the City is a "public body" defined by and subject to the *Freedom of Information and Protection of Privacy Act* of British Columbia.

17. SIGNATURE

The legal name of the person or firm submitting the Quotation should be inserted in the Quotation. The Quotation should be signed by a person authorized to sign on behalf of the Contractor and include the following:

- (a) If the Contractor is a corporation then the full name of the corporation should be included, together with the names of authorized signatories. The Quotation should be executed by all of the authorized signatories or by one or more of them provided that a copy of the corporate resolution authorizing those persons to execute the Quotation on behalf of the corporation is submitted;
- (b) If the Contractor is a partnership or joint venture then the name of the partnership or joint venture and the name of each partner or joint venturer should be included, and each partner or joint venturer should sign personally (or, if one or more person(s) have signing authority for the partnership or joint venture, the partnership or joint venture should provide evidence to the satisfaction of the City that the person(s) signing have signing authority for the partnership or joint venture). If a partner or joint venturer is a corporation then such corporation should sign as indicated in subsection (a) above; or

- (c) If the Contractor is an individual, including a sole proprietorship, the name of the individual should be included.

18. EQUIVALENTS, SUBSTITUTIONS, ALTERNATIVES

Unless otherwise expressly stated, if and wherever the specifications set out in Schedule A - Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement - Goods, use a brand name of a manufacturer, make, trade name, or catalogue designation in specifying an item, it does not restrict Contractors to the identified manufacturer, make, trade name, or catalogue designation. The usage of such identification is simply to indicate the character, quality and/or performance equivalence of the commodity identified.

Prior to the Date, a Contractor may request, pursuant to section 4 the City to approve a commodity(ies) (each, an “Equivalency”) to be included in a Quotation in substitution for a commodity(ies), indicated in Schedule A Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement - Goods, on the basis that the substitution of the same or better character, quality and/or performance as the commodity(ies) indicated in Schedule A - Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement - Goods, such that that the proposed Equivalency will serve the purpose for which it is intended to be used equally as well. Applications for an Equivalency should be in writing delivered to the City Representative, accompanied by appropriate supporting information, data, specifications and documentation. The City may request any additional supporting information, data, specifications and documentation it considers necessary to make a decision with respect to the application. If the City decides in its sole discretion to accept an Equivalency, then the City will provide written confirmation of such acceptance to the Contractor, without notification to other Contractors (subject to the City’s discretion under section 4). The City is not obligated to review or accept any application for an Equivalency. Without limiting the City’s discretion as set out in this Section 18, the City may specifically refuse to approve an application for an Equivalency with which there may be an associated increase to a Quotation Price or a delay to the supply and delivery of the Goods.

The Contractor should clearly identify in its Quotation any Equivalencies approved by the City under this Section 18.

If the Contractor does not in its Quotation indicate any Equivalencies, the Contractor will be deemed to accept the commodity(ies) described in Schedule A – Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement - Goods.

19. MULTIPLE CONTRACTORS

The City reserves the right and discretion to divide up the Goods, either by scope, geographic area, or other basis as the City may decide, and to select one or more Contractors to enter into discussions with the City for one or more Contracts to perform a portion or portions of the Goods. If the City exercises its discretion to divide up the Goods, the City will do so reasonably having regard for the RFQ and the basis of Quotations.

In addition to any other provision of this RFQ, Quotations may be evaluated on the basis of advantages and disadvantages to the City that might result or be achieved from the City

dividing up the Goods and entering into one or more Contracts with one or more Contractors.

20. FACTORY INSTALLATION

Items that are available from the factory should be factory installed. If factory installation of an item is not available to the dealer and the dealer is making a dealer modification in order to meet the specification, it should be clearly noted in your response.

21. ANTICIPATED QUANTITIES

The City reserves the right and discretion to place orders on quoted items as per Schedule B – Form Quotation on an “as required” basis. All quantities are anticipated quantities only and may or may not increase or decrease according to requirements.

- END OF PAGE -



**ATTACHMENT 1 – DRAFT QUOTATION AGREEMENT -
GOODS**

between

CITY OF SURREY

and

<<INSERT CONTRACTOR NAME>>

for

**SUPPLY AND DELIVERY OF TWO [MORE OR LESS] WILLE
275 TRCTOR WITH VARIOUS ATTACHMENTS**

AGREEMENT NO.: 1220-030-2023-012

ABW CONTRACT No.: TBD

PURCHASE ORDER No.: TBD

TABLE OF CONTENTS

DEFINITIONS AND INTERPRETATION	13
SUPPLY AND DELIVERY OF GOODS.....	14
DELIVERY POINT	15
MARKETABLE TITLE	15
TRANSFER OF TITLE	15
RISK OF LOSS	15
STANDARD OF PERFORMANCE.....	16
PRE-PRODUCTION MEETING	16
PRODUCTION SCHEDULE.....	16
SUBCONTRACTORS	17
SAFETY.....	17
WHMIS/MSDS	18
TEST AND INSPECTIONS	18
REJECTION OF GOODS	19
PURCHASE PRICE	20
PAYMENT	21
DEFICIENCY HOLDBACK.....	22
RIGHT OR SET-OFF	22
CHANGE ORDERS	22
DEFAULT AND TERMINATION.....	23
DISPUTE RESOLUTION	23
WARRANTIES AND INDEMNITIES.....	24
ASSIGNMENT OF WARRANTIES.....	25
ON-CALL SUPPORT AND ON-SITE SERVICE.....	25
WARRANTY REPAIR OR REPLACEMENT	25
FLEET DEFECTS	26
FAILURE TO REMEDY DEFECTS	27
WARRANTY FOR REPAIRED OR REPLACED GOODS	28
LIQUIDATED DAMAGES FOR UNAVAILABILITY OF GOODS AND SERVICES.....	28
PARTS AVAILABILITY GUARANTEE.....	28
INTELLECTUAL PROPERTY WARRANTY	29
WAIVER.....	29
APPLICABLE LAW	29
NOTICES.....	29

MERGER AND SURVIVAL30
ENTIRE AGREEMENT30
SIGNATURE30
ENUREMENT31
SCHEDULE A – SPECIFICATIONS OF GOODS AND SCOPE OF SERVICES32
SCHEDULE A-1 – WILLE 275 TRACTOR PREFERRED TECHNICAL SPECIFICATIONS.....34
SCHEDULE B – FORM OF QUOTATION42
SCHEDULE B-1 – WILLE 275 TRACTOR PREFERRED TECHNICAL SPECIFICATIONS
RESPONSE FORM48

ATTACHMENT 1 – DRAFT QUOTATION AGREEMENT – GOODS

Reference RFQ Title: **Supply and Delivery of Two (More or Less) Wille 275 Tractor with Various Attachments**

Reference No.: **1220-040-2023-012**

BETWEEN:

CITY OF SURREY
13450 – 104th Avenue
Surrey, B.C., V3T 1V8

(the "City")

AND:

[INSERT THE FULL LEGAL NAME AND ADDRESS OF CONTRACTOR]

(the "Contractor")

WHEREAS the City wishes to engage the Contractor to provide the Goods and the Contractor agrees to provide the Goods.

THEREFORE in consideration of the premises and payment of one (\$1.00) dollar and other good and valuable consideration paid by each of the parties to the other (the receipt and sufficiency of which is hereby acknowledged) the City and the Contractor agree as follows:

DEFINITIONS AND INTERPRETATION

1. In this Agreement, in addition to any terms defined elsewhere in this Agreement, the following definitions apply:
 - (a) "**Agreement**" means this agreement and all schedules attached hereto;
 - (b) "**Change Order**" has the meaning set out in Sections 42 through 46;
 - (c) "**Delivery Date**" means the delivery date(s) for the applicable Goods, as set out in a Purchase Order or as otherwise agreed between parties;
 - (d) "**Delivery Point**" has the meaning set out in Section 7;
 - (e) "**Department Representative**" means the representative designated by the City from time to time based on the required role, function and requirement;
 - (f) "**Fleet Defect**" has the meaning set out in Section 67;
 - (g) "**Goods**" mean the goods, materials, equipment, supplies, parts, accessories and other items to be supplied by the Contractor pursuant to this Agreement as more particularly described in the schedules to this Agreement;
 - (h) "**Indemnitees**" has a meaning set out in Sections 52 through 55;
 - (i) "**Production Schedule**" has the meaning set out in Sections 16 through 17;

- (j) **“Purchase Price”** means the price quoted by the Contractor and accepted by the City, unless otherwise agreed by the parties in writing, and includes all taxes, duties, freight charges and other charges except GST and PST; and
- (k) **“Specifications”** means the scope of work and specifications and requirements set out in the schedules to this Agreement, and including anything and everything required to be done for the fulfilment and completion of this Agreement.

- 2. This Agreement may be modified only by express and specific written agreement signed by the parties.
- 3. In the event of a conflict between the provisions of any documents listed below, then the documents shall govern and take precedence in the following order:
 - (a) this Agreement;
 - (b) Schedule B – Quotation Extracts;
 - (c) Schedule A – Specifications of Goods and Scope of Services; and
 - (d) other terms, if any, that are agreed to by the parties in writing.

SUPPLY AND DELIVERY OF GOODS

- 4. The Contractor will supply the Goods that meet the specifications set out in Schedule A – Specifications of Goods and Scope of Services to Attachment 1 – Draft Quotation Agreement – Goods.
- 5. The Contractor will complete and deliver to the Delivery Point each Good in accordance with the following schedule, unless this Agreement has been terminated sooner in accordance with its provisions:

	<u>Completion Date</u>	<u>Delivery Date</u>
Wille 275 Tractor #1	_____	_____
Wille 275 Tractor #2	_____	_____

Timely delivery is of the essence and the Contractor will be responsible to ensure that such delivery is made, and will notify the Department Representative immediately in writing of any anticipated delays and the reasons therefor.

Goods will not be deemed or construed to be delivered until actually received by the City at the Delivery Point.

- 6. The Contractor will deliver the Goods to the Delivery Point free and clear of all liens and encumbrances. In the event of the Contractor's failure to meet this condition, the Contractor will, on written notice from the City, forthwith return all monies paid by the City on account of the Goods and in addition the City may by written notice terminate this Agreement without liability, and in such event, in addition to the above, the Contractor will be liable for any and all expenses or losses incurred by the City resulting from such failure.

DELIVERY POINT

7. The Contractor will take steps as required so that all the Goods are properly prepared for delivery and the Goods shall be delivered to City of Surrey, Fleet/Service Centre, Central Operations Works Yard, 6651 – 148th Street, Surrey, B.C., Canada (or such other location as referenced in the Purchase Order) between the hours of 8:00 a.m. to 4:30 p.m., Monday through Friday, excluding statutory holidays, unless other arrangements have been agreed to in writing from the City (the “**Delivery Point**”). The Goods must be transported (not driven) to the Delivery Point. The City will not assume any liability for Goods delivered to an unauthorized location. The Contractor shall ensure the integrity of the Goods during transportation, handling and temporary storage. Due regard shall be given by the Contractor to protection from loss and pilferage, physical damage, and the effect of the elements and environmental conditions. Any loss, damage or repair cost resulting from delivery to the Delivery Point will be the Contractor’s sole responsibility.
8. The Contractor should notify the Department Representative not less than five (5) working days prior to expected delivery / arrival to permit inspection scheduling. The City will not assume any liability for vehicle delivered to an unauthorized location.
9. The Good should be inspected by the City to determine compliance with the specifications and/or to test its ability to perform its intended use.

MARKETABLE TITLE

10. The Contractor warrants that it has or will at the time of the transfer of title, good and marketable title to the Goods, free and clear of all liens, restrictions, reservations, encumbrances or claims of any kind and that it will defend the City’s title to the Goods. In the event of the Contractor's failure to meet this condition, the Contractor will, on written notice from the City, forthwith return all monies paid by the City on account of the Goods and in addition the City may by written notice terminate this Agreement without liability, and in such event, in addition to the above, the Contractor will be liable for any and all expenses or losses incurred by the City resulting from such failure.

TRANSFER OF TITLE

11. Title and all other property rights in and to all tangible personal property, and in and to all parts of tangible personal property that are or are intended to be part of the Goods or are otherwise provided to the Delivery Point by or on behalf of the Contractor under this Agreement, including all consumables, products, materials, equipment, tools, supplies and other items, but not the risk of loss with respect to such tangible personal property, the risk of which will remain with the Contractor until such time as specified in Section 8, will pass to the City free and clear of all encumbrances at the time the Goods are delivered to the Delivery Point.

RISK OF LOSS

12. Risk of loss with respect to the Goods will remain with the Contractor and will not transfer to the City unless and until the City accepts and takes possession and control of the Goods. No loss, injury or destruction of the Goods shall release Contractor from any obligations under this Agreement.

STANDARD OF PERFORMANCE

13. The Contractor will supply and deliver the Goods and perform other services as described in this Agreement in accordance with:
 - (a) this Agreement;
 - (b) all applicable laws; and
 - (c) the standards, practices, methods and procedures to the best professional and commercial standard in the industry with respect to the design, manufacture, assembly and delivery of emergency vehicles similar to the Goods, conforming to all applicable laws and exercising that degree of skill, care, diligence, prudence and foresight which would reasonably and ordinarily be expected from a qualified, skilled and experienced person engaged in a similar type of undertaking under the same or similar circumstances (“**Good Industry Practice**”).

14. If more than one standard, including governmental requirements, work practices and procedures, and specifications, applies to the supply and delivery of the Goods or the performance of other services as described in this Agreement, then the strictest of such will apply.

PRE-PRODUCTION MEETING

15. If and when requested by the City, upon receipt of a Purchase Order from the City, and at a time and location designated by the City, the Contractor will hold a pre-production meeting. During this meeting, the Contractor will present the project team, and discuss any special provisions, the Contractor’s draft project approach and demonstrate an understanding of the Agreement. The Contractor will accept questions and feedback from the City and adjust the project approach and progress schedule accordingly. At this meeting the Contractor will present the Contractor’s draft Production Schedule, the warranty plan, quality assurance plan, preliminary test plan outline, and monthly progress report format. In addition, the Contractor will ensure that its authorized representatives for the pre-production meeting will include the Contractor’s applicable sales and engineering personnel. The meeting will be held during normal business hours, in Surrey, British Columbia, at a location, date and time agreed to by the parties.

PRODUCTION SCHEDULE

16. The Contractor shall:
 - (a) commence the design, manufacturing and assembly of the Goods promptly following receipt of a Purchase Order;
 - (b) within ten (10) days after the pre-production meeting or receipt of a Purchase Order, prepare and submit to the City a horizontal bar chart final build schedule, including a critical path method satisfactory to the Department Representative, acting reasonably, indicating the timing (start and completion date of activities noting the first work day of each week) of all major activities of the design, manufacturing and assembly of the Goods, and providing details of the critical events and their inter-relationship to demonstrate the work will be performed in conformance with the Agreement (the “Production Schedule”);

- (c) update the Production Schedule to the satisfaction of Department Representative, acting reasonably, on no less than a monthly basis so as to incorporate any time adjustments as permitted under this Agreement or as otherwise agreed to in writing by the City;
- (d) pursue the design, manufacturing and assembly of the Goods diligently to ensure that each of the milestone events for the completion of each component of the design, manufacturing and assembly of the Goods as identified in the then current Production Schedule is achieved at or before the time specified in that Production Schedule; and
- (e) if for any reason the design, manufacturing and assembly of the Goods falls behind the schedule as set out in the then current Production Schedule and if, in accordance with this Agreement, the delay does not entitle the Contractor to an extension of time, then the Contractor will, as part of the supply and delivery of the Goods take all such steps as are required to bring the design, manufacturing and assembly of the Goods back into conformity with the then current Production Schedule.

Failure to comply with this Section will be deemed to be a default under this Agreement.

17. If in the reasonable opinion of the City, the actual progress of the design, manufacturing and assembly of the Goods does not conform with the then current Production Schedule, then the Contractor shall at its sole expense:
- (a) within ten (10) working days:
 - i. submit to the City a report satisfactory to the Department Representative, acting reasonably, identifying the reasons for such nonconformity with the then current Production Schedule and outlining the Contractor's plan to address such nonconformity;
 - ii. submit to the City for review a revised Production Schedule, which shall:
 - (A) be in accordance with Good Industry Practice; and
 - (B) satisfy the requirements of the Agreement.
 - (b) immediately upon acceptance by the City of such plan and revised Production Schedule, diligently pursue the plan so as to bring the design, manufacturing and assembly of the Goods into conformity with the revised Production Schedule.

SUBCONTRACTORS

18. The City reserves the right to approve all subcontractors of the Contractor at any time.

SAFETY

19. If this Agreement includes any inspection, installation or other work on the City's premises by the Contractor, or representative or subcontractor of the Contractor, all such activity shall be performed and undertaken in strict compliance with all applicable health and safety laws and regulations, including, without limitation, the *Workers Compensation Act*, the Occupational Health & Safety Regulation and the *Hazardous Products Act*, and also in strict compliance with any published and issued by the City for use at the City's premises. The Contractor shall provide the City with the Contractor's Workers

Compensation Board registration number and a letter from the Workers Compensation Board confirming the supplier is registered in good standing with the Workers Compensation Board and that all assessments have been paid to the date thereof prior to the City having any obligation to pay monies under this Agreement.

WHMIS/MSDS

20. The Contractor covenants and agrees to comply with all the Workers Compensation Board Occupational Health and Safety Regulations for hazardous materials and substances, and in particular with the "Workplace Hazardous Materials Information Systems (WHMIS)" Regulations. All "Material Safety Data Sheets (MSDS)" will be shipped along with the Goods and any future MSDS updates will be forwarded.

TEST AND INSPECTIONS

21. The Contractor shall as part of the supply and delivery of the Goods perform, or cause to be performed all tests, inspections and approvals for the Goods (whether required by this Agreement, or by the Department Representative's instructions, or by applicable laws), and if a test, inspection or approval requires a representative sample of materials or workmanship the Contractor shall at the Contractor's own cost supply the labour and materials necessary to provide the sample.
22. If any portion of the work is designated for special tests, inspections of approvals (either as a requirement in this Agreement, or by the Department Representative's instructions, or by the laws or regulations applicable to the Goods), then:
 - (a) if the Department Representative is to perform or arrange for the test, inspection or approval, the Department Representative shall give the Contractor timely notice requesting such test, inspection or approval; and
 - (b) if other authorities are to perform the test, inspection or approval, the Contractor shall arrange for such test, inspection or approval and shall give the Department Representative timely notice of the date and time for such test, inspection or approval.
23. The Contractor will comply with any order or directions given by the Department Representative for inspection or testing that was not called for in the Agreement, and the following will apply:
 - (a) if such inspection or testing is required to be carried out in advance of the design, manufacturing or assembly of the Goods, then such inspection or testing will be a change to which Sections 42 through 46 apply;
 - (b) if such inspection or testing is required to be carried out on any design, manufacturing or assembly of the Goods that has been completed then:
 - i. if the inspection or testing determines that the design, manufacturing or assembly of the Goods is not in accordance with this Agreement, then the Contractor shall correct such design, manufacturing or assembly and pay all costs of the inspection or testing and all costs of the correction and the restoration; and
 - ii. if the inspection or testing determines that the design, manufacturing or assembly of the Goods is in accordance with this Agreement, then the City shall pay all costs of the inspection or testing and all costs of the restoration.

24. If the Contractor disagrees with the results of any inspection or testing required in this Agreement or ordered by the Department Representative under Section 21 then the Contractor may elect to carry out such further inspection or testing that the Department Representative agrees is acceptable for the purpose of determining whether the design, manufacturing or assembly of the Goods complies with this Agreement. If such further inspection or testing determines the design, manufacturing or assembly of the Goods is not in accordance with this Agreement, then the Contractor shall correct such the design, manufacturing or assembly of the Goods and pay all costs of the initial inspection or testing, all costs of the further inspection or testing, and all costs of the correction. If such further inspection or testing determines that the design, manufacturing or assembly of the Goods is in accordance with this Agreement, then the City shall pay all costs of the further inspection and testing.
25. If the Contractor covers or permits to be covered any part of the Goods that has been designated for special tests, inspections or approvals, before such special tests, inspections or approvals are made, given or completed, then the Department Representative may direct the Contractor to uncover such part, in order that the inspections or tests may be satisfactorily completed, and make good such part at the Contractor's own expense, and the Contractor shall comply with such direction.
26. The Department Representative will be entitled to observe all tests, inspections and approvals for the Goods, including factory or other tests performed at the Contractor's facility or at the facility of any subcontractor or supplier of the Contractor, and the Contractor will give written notice to the Department Representative of such tests, inspections and approvals for the Goods.
27. The Contractor shall promptly provide the Department Representative with two (2) copies of all certificates, inspection and testing reports required by the Agreement or ordered by the Department Representative.
28. The Contractor shall provide to the City written notice of delivery of the Goods not less than five (5) days prior to expected date of delivery of the Goods to the Delivery Point, to permit final inspection scheduling. An authorized representative of the Contractor shall supervise delivery to the City.

REJECTION OF GOODS

29. Upon delivery of the Goods to the Delivery Point, the City shall have a reasonable time to inspect and to accept the Goods.
30. Despite transfer of title or the transfer of risk of loss, the City may reject Goods, or any component of the Goods, not in accordance with this Agreement, whether due to damage resulting from improper packing, loading, unloading or otherwise. The City shall notify the Contractor of rejection of the Goods, or component of the Goods, as the case may be, whereupon the Goods will be held subject to the disposition by the Contractor. Any rejected Goods, or component of the Goods, as the case may be, if the City has taken possession and control of the Goods or such component, will be held by the City at the sole risk of the Contractor and the Contractor will promptly remove or cause to be removed the rejected Goods, or component of the Goods, as the case may be. The Contractor will

be responsible for all costs of the removal and disposition of any rejected Goods, or component of the Goods, as the case may be. Any costs or expenses incurred by the City on account of any rejected Goods, or component of the Goods, as the case may be, will, upon written demand by the City, be immediately due and payable by the Contractor, and the City may set-off such costs and expenses against any payment owing by the City to the Contractor.

31. Promptly after receiving a notice of rejection, the Contractor will deliver to the Department Representative a plan in writing describing the steps the Contractor will take and implement to ensure that the Goods, or component of the Goods, as the case may be, that are in accordance with this Agreement, and describing any impacts on the Production Schedule. Such steps shall include any re-testing reasonably required to establish that the Goods, or component of the Goods, as the case may be, comply with the Agreement.
32. If in the opinion of the Department Representative it is not expedient to correct the rejected Goods, or component of the Goods, as the case may be, in accordance with the Agreement, then the Department Representative may direct that such Goods, or component of the Goods, as the case may be, remain with the City and the City may deduct from the monies otherwise due to the Contractor the difference in value to the City, considering the City's intended use of the Goods, or component of the Goods, as the case may be, between the work as performed and that required by the Agreement. The amount of such deduction will be determined in the first instance by the Department Representative. If such amount as determined by the Department Representative is not acceptable to the Contractor, then the parties shall make reasonable efforts to resolve the dispute by amicable negotiations and shall provide frank, candid and timely disclosure of all relevant facts, information and documents to facilitate negotiations.

PURCHASE PRICE

33. The City will pay to the Contractor the fees as set out in Schedule B – Quotation Extracts of the following:
 - (a) all lump sums as listed in the Schedule B – Quotations Extracts (the "Purchase Price"), including any miscellaneous work items selected by the City, for items relating to or incorporated into the Good; plus
 - (b) any adjustments, including payments owing on account of Change Orders and agreed to by the City in accordance with the provisions of the Agreement.
34. Despite any price set out in Schedule B – Quotation Extracts, the Contractor agrees to extend to the City all manufacturer's price concessions, discounts, rebates and factory incentive pricing whenever available and to ensure that the City is provided the best price available.
35. The Purchase Price, subject to any adjustments made pursuant to Section 33, will be the entire compensation owing to the Contractor for the complete performance of the Contractor's obligations under this Agreement and this compensation will cover and include all profit and all costs of supervision, labour, material, equipment, transportation and delivery, overhead, financing and all other costs and expenses whatsoever incurred by the Contractor in performing the supply and delivery of the Goods.

36. The Purchase Price will be in Canadian funds, F.O.B. Destination, Freight Prepaid to the Delivery Point.
37. Should the customs duties or taxes payable by the Contractor on the Goods supplied hereunder be increased subsequent to the receipt of the Application, excerpts of which are set out in Schedule B – Quotation Extracts, the amount of the said increase, without markup will be added to the Quotation Price and will be paid by the City to the Contractor.
38. Alternatively, should the customs duties or taxes payable by the Contractor on the Goods supplied hereunder be decreased subsequent to the receipt of the Application, excerpts of which are set out in Schedule B – Quotation Extracts, the amount of the said decrease will be deducted from the Quotation Price and will be credited by the Contractor to the City.

PAYMENT

39. Subject to any contrary provisions set out in this Agreement:
 - (a) once the Goods are delivered and accepted by the City for each Purchase Order, or at such frequency as approved by the City, the Contractor shall submit a completed pre-delivery service checklist and an invoice to the City requesting payment relating to such Goods. Each invoice should be sent electronically to: surreyinvoices@surrey.ca (or such email address as may be provided by the City from time to time) and include the following information:
 - (1) an invoice number;
 - (2) the Contractor's name, address and telephone number;
 - (3) City's Purchase Order Number(s) for the Goods;
 - (4) model and serial number(s) of the Goods;
 - (5) receipt of a completed Province of British Columbia motor vehicle registration form APV-9T;
 - (6) any applicable taxes payable, as separate line items;
 - (7) discounts; and
 - (8) grand total;
 - (b) if the City reasonably dispute any portion of an invoice the City will promptly advise the Contractor;
 - (c) City will pay the undisputed portion of an invoice, less any deductions for setoffs, deficiency holdbacks or any other holdbacks permitted by this Agreement, within 30 days of the receipt of the invoice;
 - (d) if the Contractor offers the City a discount for early payment, City may deduct such discount from the amount paid by City in full satisfaction of the invoice; and
 - (e) Unless otherwise provided, all dollar amounts referred to in this Agreement are in lawful money of Canada.

DEFICIENCY HOLDBACK

40. The City may hold back from payments otherwise due to the Contractor up to 150% of a reasonable estimate, as determined by the City, on account of deficient or defective materials. This holdback may be held, without interest, until replacement Goods are received or such deficiency or defect is remedied.

RIGHT OR SET-OFF

41. The City may set-off, as against any amounts due to the Contractor, any amount owing from the Contractor to the City, including liquidated damages and other amounts as payable under this Agreement.

CHANGE ORDERS

42. City may from time to time propose changes to the Contractor's scope by altering, adding to or deducting from the Contractor's scope including the Specifications, as the City in its sole discretion considers necessary to accomplish the general purposes of the Agreement, by issuing written notice to the Contractor of the proposed changes. The prices will be increased or decreased by written agreement of the City and the Contractor according to the prices (including any applicable discount(s) as set out in, and/or determined in accordance with, Schedule B – Quotation Extracts). The Contractor may request changes to the specifications as set out in Specifications by submitting to the City written notice of the requested change referencing the reason for the change and including supporting documentation acceptable to City with respect to the requested changes.
43. The Contractor shall, within a reasonable time of receiving notice of a proposed change or at the time that it requests a change, present in a form acceptable to City, a method of adjustment or an amount of adjustment for the Purchase Price set out in Schedule B – Quotation Extracts (whether a net increase, or net decrease), if any, and the adjustment in the then current Production Schedule, if any, for the proposed change.
44. If the City and the Contractor agree to any price adjustments and the then current Production Schedule, or to the method to be used to determine the adjustments, such agreement shall be effective immediately and shall be recorded in a written change order ("Change Order"), signed by City and the Contractor.
45. The Contractor shall furnish the services or deliverables in the Change Order in accordance with the requirements of the Agreement and any written provisions, specifications, or special instructions issued by the City with respect to the Change Order.
46. The Contractor shall not make any changes to the specifications without a Change Order. City may refuse to accept all or a part of the Goods if changes are made by the Contractor without a Change Order. City will not be responsible for costs incurred by the Contractor with respect to unauthorized changes.

DEFAULT AND TERMINATION

47. In the event the Contractor does not ship the Goods by the shipping date specified in this Agreement, or does not deliver the Goods by the delivery date specified in this Agreement, or otherwise fails to comply with the requirements of this Agreement, then:
- (a) the City reserves the right to terminate this Agreement, in whole or in part, and in the event of such termination no payment will be owing by the City on account of this Agreement and the Contractor will be liable for any and all expenses or loss resulting from such failure or delay and will return all monies paid by the City; or
 - (b) if the City does not terminate this Agreement for late shipping or delivery, the City may deduct and setoff from any payments owing to the Contractor all additional costs the City reasonably incurs on account of the late shipping or delivery.
48. City may by written notice at any time cancel this Agreement with respect to Goods which, as of the date of cancellation, have not been shipped.
49. If the Contractor becomes insolvent or makes an assignment for the benefit of creditors or a receiver or trustee is appointed for the property of the Contractor, then the City may, at its election, and without prejudice to its rights at law or in equity, terminate this Agreement.
50. The City will not accept nor be responsible for any restocking charges for any Goods shipped to the City and then, for whatever reason, returned to the Contractor pursuant to this Agreement. The Contractor is to bear all costs including shipping and handling of returned Goods.

DISPUTE RESOLUTION

51. The parties will make reasonable efforts to resolve any dispute, claim, or controversy arising out of this agreement or related to this agreement (“Dispute”) using the dispute resolution procedures set out in this Section.
- (a) Negotiation. The parties will make reasonable efforts to resolve any Dispute by amicable negotiations and will provide frank, candid and timely disclosure of all relevant facts, information and documents to facilitate negotiations.
 - (b) Mediation. If all or any portion of a Dispute cannot be resolved by good faith negotiations within 30 days, either party may by notice to the other party refer the matter to mediation. Within 7 days of delivery of the notice, the parties will mutually appoint a mediator. If the parties fail to agree on the appointment of the mediator, then either party may apply to the British Columbia International Commercial Arbitration Centre for appointment of a mediator. The parties will continue to negotiate in good faith to resolve the Dispute with the assistance of the mediator. The place of mediation will be Surrey, British Columbia. Each party will equally bear the costs of the mediator and other out-of-pocket costs, and each party will bear its own costs of participating in the mediation.
 - (c) Litigation. If within 90 days of the request for mediation the Dispute is not settled, or if the mediator advises that there is no reasonable possibility of the parties

reaching a negotiated resolution, then either party may without further notice commence litigation.

WARRANTIES AND INDEMNITIES

52. The Contractor warrants that the Goods shall be free from defects in design, materials, workmanship and title, shall conform in all respects to the terms of this Agreement, shall be fit and suitable and perform satisfactorily for the purposes and under the conditions made known to the Contractor by the City or which were reasonably inferable. The Goods shall be at least equal to the higher of national standards or codes (such as, by way of illustration, CSA or ASTM), or standards and codes customarily applicable at the place where the City will use the Goods. The Goods shall be of the best quality, if no quality is specified. This general warranty is independent of and without prejudice to any specific warranty or service guarantee offered by the Contractor or third party manufacturer or supplier of the Goods in connection with the purpose for which the Goods were purchased. The Contractor shall assign to the City any warranty or service guarantee offered by a third party manufacturer or supplier of the Goods. Notwithstanding this assignment, if at any time up to one year from the date of delivery or installation (if applicable) the City determines the Goods or any part do not conform to these warranties, the City shall notify the Contractor within a reasonable time after such discovery, and the Contractor shall then promptly correct such nonconformity at the Contractor's expense. Goods used to correct a nonconformity shall be similarly warranted for one year from the date of installation. The Contractor's liability shall extend to all liabilities, losses, damages, claims and expenses incurred by the City caused by any breach of any of the above warranties.
53. The Contractor warrants and guarantees that Goods delivered under this Agreement do not infringe any valid patent, copyright or trademark, foreign or domestic, owned or controlled by any other corporation, firm or person, and agrees to indemnify and save harmless the City and all of its elected and appointed officials, officers, employees, servants, representatives and agents (collectively the "**Indemnitees**"), from and against any and all claims, demands, causes of action, suits, losses, damages and costs, liabilities, expenses and judgments (including all actual legal costs) by reason of any claim, action or litigation arising out of any alleged or actual infringement of any patent, copyright or trademark, foreign or domestic, relating to the Goods supplied under this Agreement.
54. The Contractor represents and warrants that all Goods delivered under this Agreement shall comply with all applicable codes, statutes, by-laws, rules and regulations, or any federal, provincial, municipal or other competent authority for the time being in force, including any environmental laws and that the Goods are not dangerous to the environment or to person or health.
55. The Contractor will indemnify and save harmless the Indemnitees from and against all claims, demands, causes of action, suits, losses, damages and costs, liabilities expenses and judgments (including all actual legal costs) for damage to or destruction or loss of property, including loss of use, and injury to or death of any person or persons which any of the Indemnitees incur, suffer or are put to arising out of or in connection with any failure, breach or non-performance by the Contractor of any obligation of this Agreement, or any wrongful or negligent act or omission of the Contractor or any employee or agent of the Contractor.

ASSIGNMENT OF WARRANTIES

56. Without limiting the generality of Section 52, the Contractor shall assign to the City any warranty or service guarantee offered by a third party manufacturer, distributor, installer or supplier of the Goods. Nothing in this Section relieves the Contractor from any responsibilities under any of the warranty provisions in this Agreement.

ON-CALL SUPPORT AND ON-SITE SERVICE

57. The Contractor shall, at its own expense, make available a competent engineering service representative(s) available on request to assist the City in the resolution of engineering or design problems that may arise during the life of the Goods.
58. The Contractor shall be available to provide on-site service support, commencing on the date that the first of the Goods are delivered to the Delivery Point until the Goods' life.
59. Nothing in Section 57 or Section 58 relieves the Contractor from any responsibilities under any of the warranty provisions in this Agreement.

WARRANTY REPAIR OR REPLACEMENT

60. On written notice from the City of any defects or latent defects discovered in the Goods (including in any materials or equipment forming part of the Goods) within any applicable warranty period, or other non-compliance covered by any warranty under this Agreement, given to the Contractor promptly following such defect of non-compliance becoming apparent, the Contractor will promptly, upon being given access to the affected Goods by City, commence to remedy such non-compliance, and any damage to the Goods and any other equipment or property resulting from the non-compliance, and will without delay proceed to complete the repair and remediation so the affected Goods are in compliance with this Agreement.
61. After completing the repair and remediation of the affected Goods the Contractor may apply to the Department Representative for acceptance of that repair and remediation. The Department Representative will, no later than 14 days after the receipt of such an application, inspect the repaired or remediated Goods and will, no later than a further seven days after the inspection, notify the Contractor in writing of the acceptance, or the reasons for refusal, of the application. If the application is refused, then the Contractor will address the reasons for refusal and may re-apply for acceptance of the repaired or remediated Goods. If for any reason the Department Representative fails, within 30 days of an application by the Contractor to accept or give reasons for the refusal of that application, the Department Representative will be deemed to have accepted that application.
62. If the repair or remediation of the affected Goods cannot promptly be commenced and/or completed by the Contractor because of an interruption or unavailability of access because of the occurrence of any emergency circumstances or the operational interests of the City, then the Contractor will use commercially reasonable efforts to recommend a temporary repair acceptable to the City and will carry out such a temporary repair in a timely manner and then complete the final repair promptly when full access is available. If the City for operational reasons delays providing access to the Contractor to complete

the final repair, then additional costs of the final repair resulting from such delay will be a change to which Sections 42 through 46 apply.

63. If the Contractor reasonably determines that a temporary repair of the affected Goods is not possible or advisable in the circumstances, it will promptly advise the City, providing reasons and a recommendation as to whether the City can safely continue to use and operate the affected Goods without material risk of incurring additional incremental loss, damage, cost or expense beyond that already suffered as a result of the non-compliance. If the City continues to use the affected Goods notwithstanding the Contractor's recommendation, then the Contractor will be relieved of all further warranty obligations to the extent of any incremental defects arising out of such continued use and operation of the affected Goods.
64. The Contractor will carry out all repair and remediation of the affected Goods, including any temporary repair accepted by the City, at its own cost and without any right to reimbursement by the City with respect to such costs. The Contractor will be responsible for all costs associated with such repairs and replacements and will indemnify and save harmless the Indemnitees from any resulting damages. Other Goods, components of Goods or property damaged due to the defects, or in repairing such defects, will also be restored by the Contractor in accordance with Sections 60 through 63, without additional payment by the City, to a state at least as good as prior to the removal of or damage to that other Goods or property due to the defects, or prior to the repair to such defects.
65. The Contractor shall be liability for all losses, damages, claims, costs or expenses incurred by the Indemnitees in connection with any defect, latent defect or non-compliance covered by any warranty under this Agreement. Notwithstanding the foregoing, the Contractor will not be liable for any losses, damages, claims, costs or expenses suffered as a result of the Contractor's inability to promptly commence and/or complete any repair or remediation of the affected Goods because of an unavailability or interruption of access, as provided above, not caused by any act, error or omission of the Contractor or any of its employees, agents, representatives or subcontractors, or any other person for whom the Contractor is legally responsible.
66. Nothing in Sections 60 through 65 will be interpreted as precluding the City from carrying out repair or remediation of the Goods as permitted under this Agreement.

FLEET DEFECTS

67. If any defect or latent defect discovered in the Goods, including in any materials or equipment incorporated into the Goods, or other non-compliance with this Agreement, is identified in respect of any of the Goods within the applicable warranty period, and if such defect, latent defect or noncompliance reasonably can be expected in respect of the other Goods (each a "Fleet Defect"), then the Contractor will remedy such Fleet Defect in respect of all the Goods to the satisfaction of the Department Representative, and Sections 61 through 66 will apply, whether or not the design, manufacture or assembly of those Goods has been completed, or has not yet begun, and whether or not such Fleet Defect is apparent in such other Goods, and whether or not the applicable warranty period with respect to such other Goods has expired, except to the extent that the Contractor can demonstrate to the satisfaction of the Department Representative acting reasonably that the Fleet Defect does not exist, and will not arise, in connection with the other Goods.

Nothing in this Section will be interpreted as precluding the City from carrying out repair or remediation of the Goods as permitted under this Agreement.

FAILURE TO REMEDY DEFECTS

68. If the Contractor fails to remedy any defect or damage within a reasonable time following notice thereof, then a date may be fixed by the Department Representative on or by which the defect or damage is to be remedied. The Contractor will be given reasonable written notice of this date. If the Contractor fails to remedy the defect or damage by such date and the remedial work was to be executed at the cost of the Contractor pursuant to this Agreement, then City may, at its option:
- (a) carry out the repair or remediation using the City's own forces or others, in a reasonable manner and at the Contractor's sole cost and risk. The Contractor will pay to the City, within 30 days after receipt of an invoice, the costs reasonably incurred by the City in remedying the defect or damage;
 - (b) require the Department Representative to determine a reasonable reduction in the Purchase Price; or
 - (c) if the defect or damage deprives the City of substantially the whole benefit of the Goods or any one of the Goods, terminate the Agreement as a whole, or in respect of those of the Goods which cannot be put to the intended use. Without prejudice to any of its other rights and remedies under this Agreement, the City will then be entitled to recover all sums paid for the Goods or for any one of the Goods (as the case may be), plus financing costs and the cost of dismantling such Goods and returning such Goods to the Contractor.
69. If the City performs any repair or remediation under Section 68, then:
- (a) the City shall perform the repair or remediation using parts specified by the Contractor specifically for such repair;
 - (b) the Contractor will supply and deliver to the City all parts required to warranty repairs by the City at no additional cost to the City. Such parts shall be shipped prepaid to the City from any source selected by the Contractor, without delay. Parts supplied by the Contractor shall be original equipment supplier (OEM) parts;
 - (c) notwithstanding Section 69(b), the City may, at its discretion and on notice to the Contractor, use Contractor-specified parts available from the City's own stock;
 - (d) the Contractor may request that damaged parts covered be returned by the City to the manufacturing plant, in accordance with the Contractor's written instructions and at the Contractor's cost;
 - (e) the Contractor shall, within sixty (60) days of receipt of an invoice from the City, reimburse the City for repairs or remediation carried out by the City as follows:
 - (i) if the City uses any Contractor-specified parts available from the City's own stock, the Contractor shall reimburse the City for the use of such parts at the current market price of such parts, plus applicable taxes and a 15% handling cost;
 - (ii) in respect of the City's labour costs, the amount shall be determined by multiplying the number of man-hours actually required by a City Certified

Emergency Vehicle Technician to perform the repair or remediation at a straight time per hour shop rate which will include fringe benefits in effect at time the repair or remediation is performed; and

- (iii) the cost of towing the affected Goods to the City's usual repair facility, if required; and
- (f) monthly, or at times to be mutually agreed upon, reports of all repairs or remediation carried out by the City shall be submitted by the City to the Contractor, outlining the costs incurred by the City with respect to such repairs and remediation in the month, or such other period, as the case may be. The Contractor shall provide forms for these reports.

WARRANTY FOR REPAIRED OR REPLACED GOODS

70. The warranties set out in this Agreement will apply to all Goods or components of Goods repaired or replaced, whether or not such repair is performed by the Contractor, a third party authorized by the Contractor, or by City, and a new warranty period for such repaired or replaced Goods, or components of Goods, as the case may be, will commence from the date that the repair or replacement of such Goods, or components of Goods is accepted, and extend for the warranty time period indicated in Section 52.

LIQUIDATED DAMAGES FOR UNAVAILABILITY OF GOODS AND SERVICES

71. Without limiting any other remedy that the City may have under this Agreement or at law, if the Goods are not received by the Delivery Date, or due to any defect, latent defect, Fleet Defect, or due to any repairs or remediation required to the Goods as a result of defect, or due to any other non compliance with this Agreement:
- (a) any of the Goods are unavailable for service, then the Contractor shall pay the City the sum of minimum Five Hundred (\$500) Dollars for each calendar day that each of the Goods is unavailable for service; and
 - (b) any of the Goods are unavailable for service and the City, in its sole discretion, activates reserve equipment in order to maintain service, then the Contractor shall pay the City as liquidated damages the sum of One Thousand Five Hundred (\$1,500) Dollars for each calendar day that each such reserve equipment is activated.
72. The parties agree that the amounts described in Section 71 are liquidated damages and not a penalty, and reflect a genuine and reasonable pre-estimate of the costs which the City would incur should the specified circumstances arise. The Contractor hereby authorizes the City to deduct liquidated damages from any sums otherwise due to the Contractor under the Agreement. If the monies due to the Contractor are insufficient or no monies are due to the Contractor, the Contractor shall pay the City within thirty (30) calendar days after receipt of written demand by the City. The amounts specified herein are the City's sole remedy for the losses specifically described in Section 71.

PARTS AVAILABILITY GUARANTEE

73. The Contractor hereby guarantees to provide, within reasonable periods of time the spare parts, software and all equipment necessary to maintain and repair the Goods after the date of commissioning of the last of the Goods to be delivered. Parts shall be

interchangeable with the original parts installed in the Goods and shall be manufactured in accordance with the quality assurance provisions of this Agreement. Prices shall not exceed the Contractor's then current published catalogue prices.

74. Where the parts ordered by the City are not received within two (2) business days of the Delivery Date and the Goods are out-of-service due to the lack of such parts, then the Contractor shall provide the City immediately upon the City's verbal or written request, the original suppliers' and/or manufacturers' parts numbers, company names, addresses, telephone numbers and contact persons names for all of the specific parts not received by the City.
75. Where the Contractor fails to honour this parts guarantee or parts ordered by the City are not received within seven (7) days of the Delivery Date, then the Contractor shall provide to City within seven (7) days of the City's verbal or written request, the design and manufacturing documentation for those parts manufactured by the Contractor and the original suppliers' and or manufacturers' parts numbers, company names, address, telephone numbers and contact persons names for all of the specific parts not received by the City. The Contractor's design and manufacturing documentation provided to the City shall be for the City's sole use in regard to the Goods and for no other purpose.

INTELLECTUAL PROPERTY WARRANTY

76. The Contractor warrants and guarantees that Goods delivered under this Agreement do not infringe any valid patent, copyright or trademark, foreign or domestic, owned or controlled by any other corporation, firm or person.

WAIVER

77. Any failure of the City at any time or from time to time to enforce or require the strict keeping or performance of any of the terms and conditions contained in this Agreement shall not constitute a waiver of the terms and conditions and shall not affect or impair the terms or conditions in any way or the City's right at any time to avail itself of any remedies as the City may have for any breach or breaches of the terms and conditions.

APPLICABLE LAW

78. This Agreement shall be governed by and construed in accordance with the laws of the Province of British Columbia. The City and the Contractor accept the jurisdiction of the courts of British Columbia and agree that any action under this Agreement shall be brought in such courts.

NOTICES

79. Any notice, report or other document that either party may be required or may wish to give to the other should be in writing, unless otherwise expressly provided for, and will be deemed to be validly given to and received by the addressee:
 - (a) by hand, on delivery;
 - (b) by facsimile, on transmission; or
 - (c) by mail, five calendar days after posting.

The addresses for delivery will be as follows:

(a) The City:

Attention:

(b) The Contractor:

Attention:

MERGER AND SURVIVAL

80. The representations, agreements, covenants and obligations set out in this Agreement shall survive the delivery of the Goods and payment of the Purchase Price.

ENTIRE AGREEMENT

81. This Agreement, including any other documents expressly included by reference in this Agreement, contains the entire agreement of the parties regarding the provision of the Goods, and no understandings or agreements, oral or otherwise, exist between the parties except as expressly set out in this Agreement. This Agreement supersedes and cancels all previous agreements between the parties relating to the Goods.

82. In the event that the Contractor issues an invoice, packing slip, sales receipt, or any like document to the City, the City accepts the document on the express condition that any terms and conditions in it which constitute terms and conditions which are in addition to or which establish conflicting terms and conditions to those set out in this Agreement are expressly rejected by the City.

SIGNATURE

83. This Agreement may be executed in one or more counterparts all of which when taken together will constitute one and the same Agreement, and one or more of the counterparts may be delivered by fax transmission or as a pdf file.

ENUREMENT

84. This Agreement shall enure to the benefit of and be binding upon the respective successors and permitted assigns of the City and the Contractor.

IN WITNESS WHEREOF the parties hereto have executed this Agreement on the day and year first written above.

CITY OF SURREY

by its authorized signatory:

PRINT NAME AND POSITION OF AUTHORIZED SIGNATORY

<<INSERT CONTRACTOR NAME>>

I/We have the authority to bind the Contractor:

PRINT NAME AND POSITION OF AUTHORIZED SIGNATORY

SCHEDULE A – SPECIFICATIONS OF GOODS AND SCOPE OF SERVICES

1. SPECIFICATIONS

The Contractor shall furnish all necessary labour, materials, supplies, and transportation necessary to supply and deliver the good(s), spare parts, items and accessories to perform the Services in accordance with this RFQ (the “**Goods**”).

It is the intent of this specification to provide for the purchase of two (more or less) new and unused 2023 Wille 275 tractor with tool carrier with pricing of attachments including, sweeper, snowplow, sander, water tank, and flusher.

It is to have a standard road package that meets all legal requirements for operation on public roadways, including the *BC Motor Vehicle Act*, the *Federal Motor Vehicle Safety Act*, Work Safe BC Regulations, and to be built in accordance with SAE standards. The vehicle shall be delivered with a current Commercial Vehicle inspection certificate.

2. MINIMUM ORDER

There are no minimum order requirements and/or guaranteed volumes. The quantities referenced in Schedule B are estimates only and may increase or decrease based on the City’s operational requirements and approved budgets.

3. QUALITY

Truck and body shall be manufactured by a company with a registered quality standard no less than ISO 9001.

4. SCOPE

The City’s Specifications/requirements are outlined in Schedules A-1 – Wille 275 Tractor Preferred Technical Specifications. The scope of Services include, but are not limited to the following:

- Supply and Delivery of the two (more or less) Wille 275 tractor complete with attachments including, sweeper, snowplow, sander, water tank, and flusher.;
- Provision of local dealer warranty service and replacement parts at no cost to the City at a dealer preferably in the Surrey area; and
- Provision of post-delivery services and parts availability at a local dealer, preferably in the Surrey area.

5. PRE-DELIVERY AND INSPECTION

Prior to delivery, the Good shall be completely inspected and serviced by the Contractor and/or the manufacturer’s service centre. The Contractor is responsible to ensure the Good is thoroughly tested, inspected, and that all deviations are corrected prior to delivery. The vehicle shall contain a pre-delivery check sheet showing what operations have been performed on the vehicle by the Contractor. The Good is to be clean, and all factory and dealer stickers are to be removed from glass prior to delivery with the exception of any sticker required by law.

The City will inspect the Good, upon delivery, for workmanship, appearance, proper functioning of the Good and accessories and systems, and conformance to all Specifications and requirements. In the event deficiencies are detected, the Good will be rejected, and it shall be the Contractor's responsibility to pick-up the vehicle and make the necessary corrections and re-deliver the vehicle for a re-inspection and acceptance.

The Contractor shall be responsible for securing any and all inspections required by law, including B.C. Provincial Inspection stickers. Any fee charged for these inspections shall be the sole responsibility of the Contractor.

6. DOCUMENTATION AT TIME OF DELIVERY

The Contractor should provide the following documentation upon delivery:

- **KEYS** – All key [three (3) full sets];
- Manufacturer's **Certificate of Origin**;
- **Warranty** documents and certifications;
- One (1) complete **Service Manual** to cover, but not limited to, tires, engine, batteries, transmission, axles, electrical components to cover the vehicle equipment;
- One (1) **Parts Manual** covering the entire vehicle equipment;
- One (1) set of **As-built Electrical Wiring Schematics** to cover any and all wiring not installed by the manufacturer. This diagram to include part numbers and brand names of switches, lights, etc. of part used;
- Complete **Parts List** of all belts, hoses and filters; including parts numbers, manufacturer and use; and
- A **Fluid Capacities** in litres.

7. MANUFACTURER'S WARRANTY

The Contractor will be required to furnish a warranty by the manufacturer that the equipment is suitable for the service intended, in accordance with the specifications defined herein. The Contractor shall agree to replace and install without charge [including all labour], within the scope of the warranty, any defective part or any parts that are determined by the City not to be suitable for the service intended.

The warranty period will go into effect at the time the vehicle is placed into service by the City. Contractors are to include a complete warranty statement with their Quotation.

8. OPTIONAL ITEMS

The City of Surrey may choose, at its sole discretion, to add any or all of the optional items to this purchase. Contractor shall provide on a cover letter with a list of options and prices.

SCHEDULE A-1 – WILLE 275 TRACTOR PREFERRED TECHNICAL SPECIFICATIONS

DESCRIPTION: Unit to be supplied with all available standard equipment in addition to the specifications listed below. Provide warranty details for the unit offered.

The specification herein states the preferred specifications of the City of Surrey. All Quotations shall be regular in every respect. Unauthorized conditions, limitations, or provisions may be cause for rejection.

Preferred Specifications
A. DIMENSIONS
1. Overall length including rear bumper 125" (3179 mm)
2. Height to top of cab 78" (1981 mm)
3. Track width (winter tires) 47" (1194 mm)
4. Overall width with fenders 47" (1194 mm)
5. Inside Turning Radius 70" (1780 mm) maximum
6. Articulation angle of 39 degrees each way
7. Oscillation angle of 7 degrees above and below horizontal.
8. Ground clearance of 8.75" (222 mm)
B. ENGINE
1. Three (3) cylinder, diesel, water cooled, engine, minimum 56 HP. Tier 4 final engine emission standards, please state
2. Engine must be water cooled
3. Cold starting aid: block heater and hydraulic oil tank heater
4. Quick change air filter with pre-cleaner mounted outside of engine compartment. Include service indicator (vacuum gauge)
5. Buzzer, warning symbol system activated for; low oil pressure or high-water temperature. Display to be shown in diagnostic display monitor
6. Rear engine hood, side panels and grille should be removable without tools. Once removed, complete engine access should be available.
7. Rubber grommets are to be used on both panels and hood to dampen vibration. There shall be access to the engine oil dipstick without removal of any panel.
8. Throttle to be controlled by hand lever & foot pedal.
C. COOLING
1. Engine must be water cooled
2. Radiator fan must be shrouded.
3. Should allow full horizontal access to entire cooling surface for cleaning (i.e. bottom area should allow for full access).
4. Combined cooler – hydraulic oil and engine coolant. Wide fin, to allow maximum air flow and prevent clogging
D. FRAME
1. Frame rails shall be of sufficient strength to withstand the rigors of heavy transport while traveling, complete with all front mounted attachments and rear sander combination.

Preferred Specifications

2. Should have on-demand ride control operated via a switch on the console. This will allow front 3-point linkage arms to float on a hydraulic accumulator circuit improving travel comfort and safety.
3. The machine will be supplied with central greasing system of minimum 0.4gal (1.5L) capacity with display function.
4. Rear frame to have preparations for two lift cylinder mounting points, and two 2" (50mm) diameter welded pivot bushings

E. IMPLEMENT DRIVE

1. Will have three hydraulic circuits, that operate independently or together.
2. Circuit one to have minimum of 55 lpm @ 190 bar (14.5 gpm at 2755 PSI)
3. Circuit two minimum of 35 lpm @ 190 bar (9.25 gpm at 2755 PSI)
4. Circuit three to have minimum of 20 lpm @ 190 bar (5.25 gpm at 2755 PSI)
5. Circuit one to have reversible flow.

F. FRONT HITCH

1. Front lift system will consist of a 3 point hitch in compliance with category 1 hitch standards (3/4" top link pin diameter and 7/8" lift arm pin diameter).
2. There shall be two (2) forward extending hitch arms with two (2) category 1 lift hooks.
3. Lift hooks will be self-locking and to be un-latchable from the top without tools.
4. Lift hooks to be slide mounted such that each hook can be slid 6 inches horizontally on hitch arms to adapt to various attachments pin positions.
5. Top link block should provide four (4) pin holes for top link angle adjustments
6. Hitch lift height at attachment forward extension point (i.e. blower and plow cutting edge should lift to a minimum of 30" (76 cm) clear lift)
7. Hydraulic lift control to provide feather-ability through a pilot-controlled joystick
8. Front hitch to have switchable ride control using an in-line accumulator
9. Hitch to have latched switch controlled float control

G. TRANSMISSION

1. Hydrostatic system controlled by two foot pedals. Left floor mounted inch pedal and right-side throttle/hydrostatic speed pedal.
2. Must have foot operated inching pedal to provide infinitely variable machine movement.
3. Mechanical transmission to be a 1-speed reduction gear and driven by 2-speed hydraulic motor. Speed range of 0 – 15 km/h (9.5mph) in low and 0 -35 km/h (22 mph) in high.
4. Hand Throttle function, achieved by 5 position rotary dial.
5. Neutral, Forward, and Reverse to be activated from joystick mounted switch.
6. Hydrostatic drive hydraulic lines not to cross centre section.

H. AXLES

1. Front axle will have automatic differential lock.
2. Rated capacity of each axle should be approx. 5,100 lbs. (2,320 kgs.)
3. Front and rear axle must be mechanically linked to ensure driveline power and torque to be available in all working conditions.
4. Driveline cardan shafts should be located between the upper and lower centre section articulation points

Preferred Specifications
I. BRAKING SYSTEM
1. Shall have a minimum of three (3) braking systems (hydrostatic, service and emergency/parking).
2. Service brakes to be multi disc oil immersed and hydraulically assisted. Brake system must act on all four wheels.
3. Emergency/parking brake will act on all four wheels.
4. Outboard dry drum brakes not acceptable
J. HUBS, WHEELS AND TIRES
1. Industrial 6 bolt pattern with 20mm studs
2. Supply and install deep lug radial winter tires to be 6 ply (LT235/75R15), mounted on heavy duty steel wheels.
3. Industrial wheel rim and centre flange with hub pilot centre featuring valve stem protectors.
K. HYDRAULIC SYSTEM
1. Hydraulic system will consist of four (4) individual stacked pumps.
2. Pump stack configuration: <ul style="list-style-type: none"> • Pump 1 - Hydrostatic variable flow • Pump 2 - 55L/min @ 190 bar (14.5GPM @ 2800 PSI) • Pump 3 - 35L/min @ 190 bar (9.25GPM @ 2800 PSI) • Pump 4 - 20L/min @ 190 bar (5.3GPM @ 2800 PSI)
3. All pumps to be driven from fly wheel side of engine.
4. Main hydraulic tank should be positioned directly above the hydraulic pump stack.
5. All pump suction lines will be routed vertically to the bottom of main hydraulic tank.
6. Short suction lines to hydraulic pumps should be used, causing positive inlet pressure conditions.
7. Hydraulic pressurized oil fill top-up system to be provided. Oil should be routed directly through main hydraulic filter (No reservoir free pour access to be provided).
8. Hydraulic tank will have external oil level sight glass.
9. Three front mounted high flow couplers. 0-55LPM (14.5 GPM) reversible and 110LPM (29 GPM)
10. One front mounted case drain coupler.
11. Six front mounted double acting couplers.
12. Two rear mounted high flow couplers.0-55LPM (14.5 GPM) reversible and 110LPM (29 GPM)
13. One rear mounted case drain coupler.
14. Two rear mounted double acting couplers.
L. ELECTRICAL
1. Twelve (12) Volt DC, negative ground with a 750cca,100-amp alternator,
2. Dash mounted electronic battery disconnect switch.
3. Front mounted, 7 pin power outlet.
4. Rear mounted, 7 pin power outlet.
5. Rear mounted, 7 pin trailer receptacle.
6. Switches and dials for lights, heater, A/C, parking brake, heated mirrors to be mounted on dash in group formation

Preferred Specifications

7. Supply and install low hydraulic oil level light and buzzer

8. Illuminated display monitor showing the following:

- Warning for low hydraulic oil level
- Tachometer / hour meter
- Coolant temperature
- Engine oil pressure w/ signal light
- Hydraulic oil temperature
- Voltmeter
- Fuel level

M. LIGHTING

1. There will be two (2) headlights, four (4) forward and two (2) rearward facing work lights, all to be mounted at top of cab. Two (2) backup lights will operate with reverse switch and on-demand via dash rocker switch

2. There shall be two (2) rear rubber-mounted combination tail/signal lights

3. There shall be four (4) way "hazard" flashers and self-cancelling turn signals

4. A rubber based warning beacon with breakaway mount should be provided

N. CAB

1. The cab shall be "ROPS, FOPS Certified" to ISO-3471, & ISO 3449 1365 J specifications and bear a certification label

2. Cab shall be rubber isolation mounted (cab shall not be ride mounted or integrated to front frame)

3. Cab to feature one left side opening door with sliding window feature.

4. Noise level to be 73-74 DBA inside at max engine rev,

5. Cab glass to be mounted to bolted (not glued) aluminum sub frames for quick exchange

6. Mirror to be mounted in cab frame (not door) using adjustable friction mounts to hold mirror position but allow swing away protection

7. Mirrors to be heated

8. Cab heat vents should be placed in 4 positions within the cab interior

9. At the entire front windshield base area from left to right in the form of a manifold with 10 or more vent openings

10. Wide window defrosting in the cab "B" pillars left and right with adjustable vents

11. Floor heating vents that have adjustable air flow direction and rate

12. Air fan should be 3 speed or variable flow

13. Top headliner located defrost vents not acceptable.

14. A separate air recirculation control should be from 0-100% of air to recirculate or provide full pressurization

15. Air intake shall be filtered with a replaceable paper element

16. Right side window to have a full opening swing out feature for training and operator emergency egress

17. Rear single arm wiper and washer system.

18. Front pantograph wiper arms to have long life wiper blade bushings with refillable grease caps.

19. Red stop button dash mounted for driver emergency shut down

Preferred Specifications

20. Cab to contain the following:
- a. Horn
 - b. Floor mats
 - c. Inside rear-view mirror
 - d. LED Dome lights with blue and/or white lighting
 - e. 2 - Point 75mm seat belt
 - f. Sound absorption lining
 - g. Radio/MP3 Bluebooth/AUX-in/USB/SD-Card, mounted overhead
 - h. Tilt steering in column
 - i. Flat step for safe entry
 - j. Overhead roof window
 - k. Air conditioner with cab pressurizer integrated below roof line (roof mounted air conditioner not acceptable).
 - l. Guard for forward facing light protection.
 - m. Sun visor
 - n. Flat floor with no drive line hump

O. SEAT

1. Air suspension with auto weight adjustment feature.
2. Seat will be heated
3. Air lumbar and multiple bolster adjustments.
4. Seat base angle and horizontal slide and length feature.
5. Rocker travel or rigid setting latch.
6. Variable seat suspension cushion rate adjustment.
7. Integrated right side adjustable arm rest.

P. JOYSTICK

1. True hydraulic pilot pressure-controlled joystick.
2. Joystick is seat mounted such that the operator and joystick move together on seat suspension.
3. True hydraulic featherability on 'x' and 'y' axis. No calibration required for lifetime.
4. 4-line hydraulic pilot control system from base of joystick piped to joystick pilot valve below the cab floor.
5. Joystick pilot systems controls main high-pressure valve mounted to machine frame.
6. Pilot control valve to function at low pressure then activating main valve at full working pressure and flows.
7. Joystick handle adjustments. Must have 4-way adjustment. Stick up, down, forward and backward positions.
8. True seat mounting of joystick.

Q. STEERING

1. Two double acting steering cylinders. Allowing for push and pull of the articulated steering system.

Preferred Specifications

2. Priority flow at low system pressures to provide safe independent oil pressure to steering cylinders.
3. Steering cylinders to feature rod and body self-aligning pivot ends.
4. Should have replaceable, spherical bearings at both ends of the cylinder.
5. Steering pins to be tempered with upper and lower wedge pin mounts that prevents frame housing wear
6. Individual grease lines to be mounted to both ends each cylinder.
7. Articulation steering bump stops to be designed not to allow steering cylinders to bottom out at maximum steering angle limits (cylinder protection feature).

R. AUXILIARY WATER HOSE:

1. Should have a through articulation centre, high pressure hose.
2. High pressure hose must be 3/4" ID, to be rated at 190 bar (2755 PSI).
3. Water hose must have brass couplers at each end (front and rear half of machine).
4. Should have integrated switch and wiring to control a water pump circuit (for sweeping dust control).
5. Should have a through articulation centre, high pressure hose.

S. FUEL TANK

1. Single fuel tank with lockable fuel cap to be supplied.
2. Should have 50 litre minimum capacity.

T. OVER ENGINE MOUNTING

1. Should be equipped with integrated 4 mounting pin points.
2. Hydraulic and electrical connections to be supplied as original equipment.
3. Hydraulic raise/lower as well as electrical functions to be operated using rocker switches located on right-hand console.

U. TOOL CARRIER ITEMS

1. Rear hydraulic tilting hitch frame must be welded as a one-piece integrated bracket including:
 - i) dual cylinder mounts
 - ii) dual frame pivot mounts
 - iii) dual upper attachment hook points
 - iv) dual lower attachment lock pin holes
2. Lift cylinders should have self aligning spherical bearings at each end and be grease zerk ready.
3. Cylinders will be double acting with independent available float switch function.
4. Rear hitch frame bushings to include press fit brass bearing shells with threaded grease zerk holes.
5. Rear hitch lift functionality to be available on dash mounted switch and secondary joystick button control.
6. Must have galvanized steel hydraulic lines to rear of machine.
7. Dedicated double acting hydraulic valve to activate rear hitch cylinders

Preferred Specifications
8. Factory installed integrated electrical switches and fused circuit.
9. Optional Category 1 three-point linkage system to be available to adapt to the existing rear frame preparation.
V. AUTOMATIC GREASE SYSTEM
1. Factory installed auto lube system with minimum 1.5L canister (aftermarket not acceptable).
2. Should be a one-line system
3. All grease lines to be chassis mounted in galvanized steel except at cylinder ends.
4. Will provide grease to all moving joints and cylinder ends throughout front and rear of machine frame.
5. Programmable controller
6. Will be powered by an integrated wiring circuit and fused in machine fuse panel.
7. Will include portable filling pump
W. BACKUP CAMERA
1. 7" colour screen
2. 3 channel system with 1 camera
3. Main wiring harness should have a factory integrated camera circuit system.
4. Should have in cab harness connection point for monitor power and signal.
X. WARRANTY
1. Standard Factory Warranty to be a minimum of 2 years, or 2,000 hours whichever occurs first. Factory warranty certificate to be provided with bid.
2. Optional Factory Extended Warranty to be an additional 1 year, or 1,000 hours for a Total Full Machine Warranty of 3 years, or 3,000 hours whichever occurs first.
3. State cost:
4. Optional 5 year, or 5,000 hours (whichever occurs first) articulating centre section warranty available when factory installed central automatic pressure lubrication is ordered. State cost
Y. MISCELLANEOUS
1. Shop service, parts information, technical
2. Service bulletins (TSB's) shall be provided electronically by the authorized dealer
3. Units shall be supplied licensed, plated and insured, done through the City of Surrey's broker
4. Units shall meet all applicable transport regulations, both Federal and Provincial, and be permitted to be driven on roads.
Z. SPREADER ATTACHMENT
1. Please provide pricing and specifications for the salt spreader attachment
AA. SWEEPER ATTACHMENT
1. Please provide pricing and specifications for the sweeper attachment
BB. PLOW ATTACHMENT
1. Please provide pricing and specifications for front plow attachment

Preferred Specifications

CC. WATER TANK ATTACHMENT

1. Please provide pricing and specifications water tank attachment
--

DD. FLUSHER ATTACHMENT

1. Please provide pricing and attachments for flusher attachment
--

- END OF PAGE -



SCHEDULE B – FORM OF QUOTATION

RFQ Title: Supply and Delivery of Seven (More or Less) Wille 275 Tractor with Various Attachments

RFQ No: 1220-040-2023-012

CONTRACTOR

Legal Name: _____

Contact Person and Title: _____

Business Address: _____

Business Telephone: _____

Business Fax: _____

Business E-Mail Address: _____

CITY OF SURREY

City Representative: Sunny Kaila, Manager, Procurement Services

E-mail for PDF Files: purchasing@surrey.ca

1. If this Quotation is accepted by the City, a contract will be created as described in:
 - (a) the Agreement;
 - (b) the RFQ; and
 - (c) other terms, if any, that are agreed to by the parties in writing.

2. Capitalized terms used and not defined in this Quotation will have the meanings given to them in the RFQ. Except as specifically modified by this Quotation, all terms, conditions, representations, warranties and covenants as set out in the RFQ will remain in full force and effect.

3. I/We have reviewed the RFQ Attachment 1 – Draft Quotation Agreement – Goods and Services. If requested by the City, I/we would be prepared to enter into that Agreement, amended by the following departures (list, if any):

Section	Requested Departure(s)
_____	_____
_____	_____

4. The City requires that the successful Contractor have the following in place **before providing the Goods and Services**:
- (a) Workers' Compensation Board coverage in good standing and further, if an "Owner Operator" is involved, personal operator protection (P.O.P.) will be provided, Workers' Compensation Registration Number _____;
 - (b) Prime Contractor qualified coordinator is Name: _____ and Contact Number: _____;
 - (c) Insurance coverage for the amounts required in the proposed Agreement as a minimum, naming the City as additional insured and generally in compliance with the City's sample insurance certificate form available on the City's Website at www.surrey.ca search [Standard Certificate of Insurance](#);
 - (d) City of Surrey or Intermunicipal Business License: Number _____;
 - (e) If the Contractor's Goods and Services are subject to GST, the Contractor's GST Number is _____; and
 - (f) If the Contractor is a company, the company name indicated above is registered with the Registrar of Companies in the Province of British Columbia, Canada, Incorporation Number _____.

As of the date of this Quotation, we advise that we have the ability to meet all of the above requirements **except as follows** (list, if any):

Requested Departure(s):

5. The Contractor acknowledges that the departures it has requested in Sections 3 and 4 of this Quotation will not form part of the Agreement unless and until the City agrees to them in writing by initialing or otherwise specifically consenting in writing to be bound by any of them.

Changes and Additions to Specifications:

6. I/We have reviewed the RFQ Attachment 1, Schedule A – Specifications of Goods and Scope of Services. If requested by the City, I/we would be prepared to meet those requirements, amended by the following departures and additions (list, if any):

Requested Departure(s)

Fees and Payments

7. Contractors are encouraged to submit pricing based on the most recently available model year. The City will allow pricing adjustments based on price changes from the manufacturer. The Contractor will be expected to provide factory invoices to justify increases.

As part of their Quotation(s), Contractors should submit Schedule B-1 - Preferred Technical Specifications Response Form (as applicable) by completing the spreadsheet's third right-most columns.

8. For **2023 Wille 275 Tractor**, the Contractor offers to supply to the City of Surrey the Goods and Services for the prices plus applicable taxes as follows:

8.1. Year, Make & Model: _____

8.2. Pricing:

F.O.B. Destination Prepaid		Payment Terms: A cash discount of ____% will be allowed if invoices are paid within ____ days, or the ____ day of the month following, or net 30 days, on a best effort basis.	Ship Via:
Item	Particulars		Cost per Unit (CDN \$)
1	Unit Price:		\$
2	Province of B.C. Environmental Levy (Battery):		\$
3	Province of B.C. Advance Disposal Fee (Tires):		\$
4	Air Conditioning Surcharge:		\$
5	Salt Spreader:		\$
6	Snowplow:		\$
7	Front Broom:		\$
8	Water Tank:		\$
9	Flusher Unit:		
10	Any Other Levies or Fees:		
	a.)		
	b.)		
	c.)		
11	Subtotal:		\$
12	GST (5%)		\$
13	PST (7%)		\$
14	TOTAL QUOTATION PRICE FOR ONE UNIT:		\$
<i>Pricing is firm until (state date):</i>			
ALL PRICING IN CANADIAN DOLLARS			

8.3. The completed unit shall be delivered within _____ days after receipt of Purchase Order.

8.4. Please indicate volume discounts where applicable:

# Vehicles purchased	2	3	4	5	6	7
Discount (% or \$)						

- 8.5. Please complete if applicable: British Columbia Certified
- 8.6. Complete Vehicle: State Warranty (no less than one (1) year) _____
- 8.7. Extended Warranty Options: _____
- 8.8. Warranty repairs shall be performed at: _____
- 8.9. In addition to the warranties provided in the Draft Quotation Agreement, this Quotation includes the following warranties:

- 8.10. Agreement, this Quotation includes the following warranties:

Time Schedule:

9. Contractors should provide an estimated schedule, with major item descriptions and times indicating a commitment to provide the Goods and perform the Services within the time specified (use the spaces provided and/or attach additional pages, if necessary). Staggered delivery of units is acceptable permitted that Contractors approximate the quantity, and year and quarter the units are anticipated to be delivered in.

MILESTONE DATES _____

ACTIVITY	SCHEDULE IN _____									
	1	2	3	4	5	6	7	8	9	10

Experience, Reputation and Resources:

10. Contractor's relevant experience and qualifications in delivering Goods and Services similar to those required by the Agreement (use the spaces provided and/or attach additional pages, if necessary):

11. Contractor's references (name and telephone number) (use the spaces provided and/or attach additional pages, if necessary). The City's preference is to have a minimum of three references. Previous clients of the Contractor may be contacted at the City's discretion.

12. Contractors should identify and provide the background and experience of all key personnel proposed to provide the Goods and Services (use the spaces provided and/or attach additional pages, if necessary):

Key Personnel

Name: _____

Experience: _____

Dates: _____

Project Name: _____

Responsibility: _____

13. Contractors should identify and provide the background and experience of all sub-contractors and material suppliers proposed to undertake a portion of the Goods and Services (use the spaces provided and/or attach additional pages, if necessary):

<i>Description of Goods & Services</i>	<i>Sub-Contractors & Material Suppliers Names</i>	<i>Years of Working with Contractor</i>	<i>Telephone Number and Email</i>

14. I/We the undersigned duly authorized representatives of the Contractor, having received and carefully reviewed the RFQ and the Agreement, submit this Quotation in response to the RFQ.

This Quotation is offered by the Contractor this _____ day of _____, 2023.

CONTRACTOR

I/We have the authority to bind the Contractor.

(Legal Name of Contractor)

(Signature of Authorized Signatory)

(Signature of Authorized Signatory)

(Print Name and Position of Authorized Signatory)

(Print Name and Position of Authorized Signatory)

SCHEDULE B-1 – WILLE 275 TRACTOR PREFERRED TECHNICAL SPECIFICATIONS RESPONSE FORM

Note: Other than entering data in the spaces provided, or including attachments as necessary, make changes to this form or submitting an alternate format is discouraged. If space is insufficient, additional pages may be added as necessary.

These Specifications are the preferred Specifications necessary to establish functional and technical requirements. The Goods shall meet or exceed these Specifications. The City is relying on the Contractor to verify suitability and safety of materials, components, equipment, systems and items. Compatibility is of the essence and any modification, accessory, device, material or type of construction which may be necessary shall be considered to be a part of these Specifications whether detailed by item or not.

(Note: Set out in detail how your technical and functional solution meets the Specifications. Clearly identify any variance with the Specifications including where conflicts or deviations may exist between your proposed solution and the Specifications or substitutions are recommended. If no substitutions, deviations or conflicts are identified, the City will consider that the equipment offered is in strict compliance with these Specifications.)

Contractors are directed to list complete manufacturers' details of model proposed in the right-most column under manufacturers' specifications.

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
A. DIMENSIONS			
1. Overall length including rear bumper 125" (3179 mm)	<input type="checkbox"/>	<input type="checkbox"/>	
2. Height to top of cab 78" (1981 mm)	<input type="checkbox"/>	<input type="checkbox"/>	
3. Track width (winter tires) 47" (1194 mm)	<input type="checkbox"/>	<input type="checkbox"/>	
4. Overall width with fenders 47" (1194 mm)	<input type="checkbox"/>	<input type="checkbox"/>	
5. Inside Turning Radius 70" (1780 mm) maximum	<input type="checkbox"/>	<input type="checkbox"/>	
6. Articulation angle of 39 degrees each way	<input type="checkbox"/>	<input type="checkbox"/>	
7. Oscillation angle of 7 degrees above and below horizontal.	<input type="checkbox"/>	<input type="checkbox"/>	
8. Ground clearance of 8.75" (222 mm)	<input type="checkbox"/>	<input type="checkbox"/>	
B. ENGINE			
1. Three (3) cylinder, diesel, water cooled, engine, minimum 56 HP. Tier 4 final engine emission standards, please state	<input type="checkbox"/>	<input type="checkbox"/>	
2. Engine must be water cooled	<input type="checkbox"/>	<input type="checkbox"/>	
3. Cold starting aid: block heater and hydraulic oil tank heater	<input type="checkbox"/>	<input type="checkbox"/>	
4. Quick change air filter with pre-cleaner mounted outside of engine compartment. Include service indicator (vacuum gauge)	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
5. Buzzer, warning symbol system activated for; low oil pressure or high-water temperature. Display to be shown in diagnostic display monitor	<input type="checkbox"/>	<input type="checkbox"/>	
6. Rear engine hood, side panels and grille should be removable without tools. Once removed, complete engine access should be available.	<input type="checkbox"/>	<input type="checkbox"/>	
7. Rubber grommets are to be used on both panels and hood to dampen vibration. There shall be access to the engine oil dipstick without removal of any panel.	<input type="checkbox"/>	<input type="checkbox"/>	
8. Throttle to be controlled by hand lever & foot pedal.	<input type="checkbox"/>	<input type="checkbox"/>	
C. COOLING			
1. Engine must be water cooled			
2. Radiator fan must be shrouded.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Should allow full horizontal access to entire cooling surface for cleaning (i.e. bottom area should allow for full access).	<input type="checkbox"/>	<input type="checkbox"/>	
4. Combined cooler – hydraulic oil and engine coolant. Wide fin, to allow maximum air flow and prevent clogging	<input type="checkbox"/>	<input type="checkbox"/>	
D. FRAME			
1. Frame rails shall be of sufficient strength to withstand the rigors of heavy transport while traveling, complete with all front mounted attachments and rear sander combination.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Should have on-demand ride control operated via a switch on the console. This will allow front 3-point linkage arms to float on a hydraulic accumulator circuit improving travel comfort and safety.	<input type="checkbox"/>	<input type="checkbox"/>	
3. The machine will be supplied with central greasing system of minimum 0.4gal (1.5L) capacity with display function.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Rear frame to have preparations for two lift cylinder mounting points, and two 2" (50mm) diameter welded pivot bushings	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
E. IMPLEMENT DRIVE			
1. Will have three hydraulic circuits, that operate independently or together.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Circuit one to have minimum of 55 lpm @ 190 bar (14.5 gpm at 2755 PSI)	<input type="checkbox"/>	<input type="checkbox"/>	
3. Circuit two minimum of 35 lpm @ 190 bar (9.25 gpm at 2755 PSI)	<input type="checkbox"/>	<input type="checkbox"/>	
4. Circuit three to have minimum of 20 lpm @ 190 bar (5.25 gpm at 2755 PSI)	<input type="checkbox"/>	<input type="checkbox"/>	
5. Circuit one to have reversible flow.			
F. FRONT HITCH			
1. Front lift system will consist of a 3 point hitch in compliance with category 1 hitch standards (3/4" top link pin diameter and 7/8" lift arm pin diameter).	<input type="checkbox"/>	<input type="checkbox"/>	
2. There shall be two (2) forward extending hitch arms with two (2) category 1 lift hooks.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Lift hooks will be self-locking and to be unlatchable from the top without tools.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Lift hooks to be slide mounted such that each hook can be slid 6 inches horizontally on hitch arms to adapt to various attachments pin positions.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Top link block should provide four (4) pin holes for top link angle adjustments	<input type="checkbox"/>	<input type="checkbox"/>	
6. Hitch lift height at attachment forward extension point (i.e. blower and plow cutting edge should lift to a minimum of 30" (76 cm) clear lift)	<input type="checkbox"/>	<input type="checkbox"/>	
7. Hydraulic lift control to provide feather-ability through a pilot-controlled joystick	<input type="checkbox"/>	<input type="checkbox"/>	
8. Front hitch to have switchable ride control using an in-line accumulator	<input type="checkbox"/>	<input type="checkbox"/>	
9. Hitch to have latched switch-controlled float control	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
G. TRANSMISSION			
1. Hydrostatic system controlled by two foot pedals. Left floor mounted inch pedal and right-side throttle/hydrostatic speed pedal.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Must have foot operated inching pedal to provide infinitely variable machine movement.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Mechanical transmission to be a 1-speed reduction gear and driven by 2-speed hydraulic motor. Speed range of 0 – 15 km/h (9.5mph) in low and 0 -35 km/h (22 mph) in high.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Hand Throttle function, achieved by 5 position rotary dial.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Neutral, Forward, and Reverse to be activated from joystick mounted switch.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Hydrostatic drive hydraulic lines not to cross centre section.	<input type="checkbox"/>	<input type="checkbox"/>	
H. AXLES			
1. Front axle will have automatic differential lock.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Rated capacity of each axle should be approx. 5,100 lbs. (2,320 kgs.)	<input type="checkbox"/>	<input type="checkbox"/>	
3. Front and rear axle must be mechanically linked to ensure driveline power and torque to be available in all working conditions.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Driveline cardan shafts should be located between the upper and lower centre section articulation points	<input type="checkbox"/>	<input type="checkbox"/>	
I. BRAKING SYSTEM			
1. Shall have a minimum of three (3) braking systems (hydrostatic, service and emergency/parking).	<input type="checkbox"/>	<input type="checkbox"/>	
2. Service brakes to be multi disc oil immersed and hydraulically assisted. Brake system must act on all four wheels.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Emergency/parking brake will act on all four wheels.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Outboard dry drum brakes not acceptable	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
J. HUBS, WHEELS AND TIRES			
1. Industrial 6 bolt pattern with 20mm studs	<input type="checkbox"/>	<input type="checkbox"/>	
2. Supply and install deep lug radial winter tires to be 6 ply (LT235/75R15), mounted on heavy duty steel wheels.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Industrial wheel rim and centre flange with hub pilot centre featuring valve stem protectors.	<input type="checkbox"/>	<input type="checkbox"/>	
K. HYDRAULIC SYSTEM			
1. Hydraulic system will consist of four (4) individual stacked pumps.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Pump stack configuration: <ul style="list-style-type: none"> • Pump 1 - Hydrostatic variable flow • Pump 2 - 55L/min @ 190 bar (14.5GPM @ 2800 PSI) • Pump 3 - 35L/min @ 190 bar (9.25GPM @ 2800 PSI) • Pump 4 - 20L/min @ 190 bar (5.3GPM @ 2800 PSI) 	<input type="checkbox"/>	<input type="checkbox"/>	
3. All pumps to be driven from fly wheel side of engine.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Main hydraulic tank should be positioned directly above the hydraulic pump stack.	<input type="checkbox"/>	<input type="checkbox"/>	
5. All pump suction lines will be routed vertically to the bottom of main hydraulic tank.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Short suction lines to hydraulic pumps should be used, causing positive inlet pressure conditions.	<input type="checkbox"/>	<input type="checkbox"/>	
7. Hydraulic pressurized oil fill top-up system to be provided. Oil should be routed directly through main hydraulic filter (No reservoir free pour access to be provided).	<input type="checkbox"/>	<input type="checkbox"/>	
8. Hydraulic tank will have external oil level sight glass.	<input type="checkbox"/>	<input type="checkbox"/>	
9. Three front mounted high flow couplers. 0-55LPM (14.5 GPM) reversible and 110LPM (29 GPM)	<input type="checkbox"/>	<input type="checkbox"/>	
10. One front mounted case drain coupler.	<input type="checkbox"/>	<input type="checkbox"/>	
11. Six front mounted double acting couplers.	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
12. Two rear mounted high flow couplers.0-55LPM (14.5 GPM) reversible and 110LPM (29 GPM)	<input type="checkbox"/>	<input type="checkbox"/>	
13. One rear mounted case drain coupler.	<input type="checkbox"/>	<input type="checkbox"/>	
14. Two rear mounted double acting couplers.	<input type="checkbox"/>	<input type="checkbox"/>	
L. ELECTRICAL			
1. Twelve (12) Volt DC, negative ground with a 750cca,100-amp alternator,	<input type="checkbox"/>	<input type="checkbox"/>	
2. Dash mounted electronic battery disconnect switch.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Front mounted, 7 pin power outlet.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Rear mounted, 7 pin power outlet.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Rear mounted, 7 pin trailer receptacle.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Switches and dials for lights, heater, A/C, parking brake, heated mirrors to be mounted on dash in group formation	<input type="checkbox"/>	<input type="checkbox"/>	
7. Supply and install low hydraulic oil level light and buzzer	<input type="checkbox"/>	<input type="checkbox"/>	
8. Illuminated display monitor showing the following: <ul style="list-style-type: none"> • Warning for low hydraulic oil level • Tachometer / hour meter • Coolant temperature • Engine oil pressure w/ signal light • Hydraulic oil temperature • Voltmeter • Fuel level 	<input type="checkbox"/>	<input type="checkbox"/>	
M. LIGHTING			
1. There will be two (2) headlights, four (4) forward and two (2) rearward facing work lights, all to be mounted at top of cab. Two (2) backup lights will operate with reverse switch and on-demand via dash rocker switch	<input type="checkbox"/>	<input type="checkbox"/>	
2. There shall be two (2) rear rubber-mounted combination tail/signal lights	<input type="checkbox"/>	<input type="checkbox"/>	
3. There shall be four (4) way "hazard" flashers and self-cancelling turn signals	<input type="checkbox"/>	<input type="checkbox"/>	
4. A rubber based warning beacon with breakaway mount should be provided	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
N. CAB			
1. The cab shall be "ROPS, FOPS Certified" to ISO-3471, & ISO 3449 1365 J specifications and bear a certification label	<input type="checkbox"/>	<input type="checkbox"/>	
2. Cab shall be rubber isolation mounted (cab shall not be ride mounted or integrated to front frame)	<input type="checkbox"/>	<input type="checkbox"/>	
3. Cab to feature one left side opening door with sliding window feature.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Noise level to be 73-74 DBA inside at max engine rev,	<input type="checkbox"/>	<input type="checkbox"/>	
5. Cab glass to be mounted to bolted (not glued) aluminum sub frames for quick exchange	<input type="checkbox"/>	<input type="checkbox"/>	
6. Mirror to be mounted in cab frame (not door) using adjustable friction mounts to hold mirror position but allow swing away protection	<input type="checkbox"/>	<input type="checkbox"/>	
7. Mirrors to be heated	<input type="checkbox"/>	<input type="checkbox"/>	
8. Cab heat vents should be placed in 4 positions within the cab interior	<input type="checkbox"/>	<input type="checkbox"/>	
9. At the entire front windshield base area from left to right in the form of a manifold with 10 or more vent openings	<input type="checkbox"/>	<input type="checkbox"/>	
10. Wide window defrosting in the cab "B" pillars left and right with adjustable vents	<input type="checkbox"/>	<input type="checkbox"/>	
11. Floor heating vents that have adjustable air flow direction and rate	<input type="checkbox"/>	<input type="checkbox"/>	
12. Air fan should be 3 speed or variable flow	<input type="checkbox"/>	<input type="checkbox"/>	
13. Top headliner located defrost vents not acceptable.	<input type="checkbox"/>	<input type="checkbox"/>	
14. A separate air recirculation control should be from 0-100% of air to recirculate or provide full pressurization	<input type="checkbox"/>	<input type="checkbox"/>	
15. Air intake shall be filtered with a replaceable paper element	<input type="checkbox"/>	<input type="checkbox"/>	
16. Right side window to have a full opening swing out feature for training and operator emergency egress	<input type="checkbox"/>	<input type="checkbox"/>	
17. Rear single arm wiper and washer system.	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
18. Front pantograph wiper arms to have long life wiper blade bushings with refillable grease caps.	<input type="checkbox"/>	<input type="checkbox"/>	
19. Red stop button dash mounted for driver emergency shut down	<input type="checkbox"/>	<input type="checkbox"/>	
20. Cab to contain the following: <ul style="list-style-type: none"> a. Horn b. Floor mats c. Inside rear-view mirror d. LED Dome lights with blue and/or white lighting e. 2 - Point 75mm seat belt f. Sound absorption lining g. Radio/MP3 Bluebooth/AUX-in/USB/SD-Card, mounted overhead h. Tilt steering in column i. Flat step for safe entry j. Overhead roof window k. Air conditioner with cab pressurizer integrated below roof line (roof mounted air conditioner not acceptable). l. Guard for forward facing light protection. m. Sun visor n. Flat floor with no drive line hump 	<input type="checkbox"/>	<input type="checkbox"/>	
O. SEAT			
1. Air suspension with auto weight adjustment feature.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Seat will be heated	<input type="checkbox"/>	<input type="checkbox"/>	
3. Air lumbar and multiple bolster adjustments.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Seat base angle and horizontal slide and length feature.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Rocker travel or rigid setting latch.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Variable seat suspension cushion rate adjustment.	<input type="checkbox"/>	<input type="checkbox"/>	
7. Integrated right side adjustable arm rest.	<input type="checkbox"/>	<input type="checkbox"/>	
P. JOYSTICK			
1. True hydraulic pilot pressure-controlled joystick.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Joystick is seat mounted such that the operator and joystick move together on seat suspension.	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
3. True hydraulic featherability on 'x' and 'y' axis. No calibration required for lifetime.	<input type="checkbox"/>	<input type="checkbox"/>	
4. 4-line hydraulic pilot control system from base of joystick piped to joystick pilot valve below the cab floor.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Joystick pilot systems controls main high-pressure valve mounted to machine frame.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Pilot control valve to function at low pressure then activating main valve at full working pressure and flows.	<input type="checkbox"/>	<input type="checkbox"/>	
7. Joystick handle adjustments. Must have 4-way adjustment. Stick up, down, forward and backward positions.	<input type="checkbox"/>	<input type="checkbox"/>	
8. True seat mounting of joystick.	<input type="checkbox"/>	<input type="checkbox"/>	
Q. STEERING			
1. Two double acting steering cylinders. Allowing for push and pull of the articulated steering system.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Priority flow at low system pressures to provide safe independent oil pressure to steering cylinders.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Steering cylinders to feature rod and body self-aligning pivot ends.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Should have replaceable, spherical bearings at both ends of the cylinder.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Steering pins to be tempered with upper and lower wedge pin mounts that prevents frame housing wear	<input type="checkbox"/>	<input type="checkbox"/>	
6. Individual grease lines to be mounted to both ends each cylinder.	<input type="checkbox"/>	<input type="checkbox"/>	
7. Articulation steering bump stops to be designed not to allow steering cylinders to bottom out at maximum steering angle limits (cylinder protection feature).	<input type="checkbox"/>	<input type="checkbox"/>	
R. AUXILIARY WATER HOSE:			
1. Should have a through articulation centre, high pressure hose.	<input type="checkbox"/>	<input type="checkbox"/>	
2. High pressure hose must be 3/4" ID, to be rated at 190 bar (2755 PSI).	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
3. Water hose must have brass couplers at each end (front and rear half of machine).	<input type="checkbox"/>	<input type="checkbox"/>	
4. Should have integrated switch and wiring to control a water pump circuit (for sweeping dust control).	<input type="checkbox"/>	<input type="checkbox"/>	
5. Should have a through articulation centre, high pressure hose.	<input type="checkbox"/>	<input type="checkbox"/>	
S. FUEL TANK			
1. Single fuel tank with lockable fuel cap to be supplied.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Should have 50 litre minimum capacity.	<input type="checkbox"/>	<input type="checkbox"/>	
T. OVER ENGINE MOUNTING			
1. Should be equipped with integrated 4 mounting pin points.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Hydraulic and electrical connections to be supplied as original equipment.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Hydraulic raise/lower as well as electrical functions to be operated using rocker switches located on right-hand console.	<input type="checkbox"/>	<input type="checkbox"/>	
U. TOOL CARRIER ITEMS			
1. Rear hydraulic tilting hitch frame must be welded as a one-piece integrated bracket including: i) dual cylinder mounts ii) dual frame pivot mounts iii) dual upper attachment hook points iv) dual lower attachment lock pin holes	<input type="checkbox"/>	<input type="checkbox"/>	
2. Lift cylinders should have self aligning spherical bearings at each end and be grease zerk ready.	<input type="checkbox"/>	<input type="checkbox"/>	
3. Cylinders will be double acting with independent available float switch function.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Rear hitch frame bushings to include press fit brass bearing shells with threaded grease zerk holes.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Rear hitch lift functionality to be available on dash mounted switch and secondary joystick button control.	<input type="checkbox"/>	<input type="checkbox"/>	
6. Must have galvanized steel hydraulic lines to rear of machine.	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
7. Dedicated double acting hydraulic valve to activate rear hitch cylinders	<input type="checkbox"/>	<input type="checkbox"/>	
8. Factory installed integrated electrical switches and fused circuit.	<input type="checkbox"/>	<input type="checkbox"/>	
9. Optional Category 1 three-point linkage system to be available to adapt to the existing rear frame preparation.	<input type="checkbox"/>	<input type="checkbox"/>	
V. AUTOMATIC GREASE SYSTEM	<input type="checkbox"/>	<input type="checkbox"/>	
1. Factory installed auto lube system with minimum 1.5L canister (aftermarket not acceptable).	<input type="checkbox"/>	<input type="checkbox"/>	
2. Should be a one-line system	<input type="checkbox"/>	<input type="checkbox"/>	
3. All grease lines to be chassis mounted in galvanized steel except at cylinder ends.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Will provide grease to all moving joints and cylinder ends throughout front and rear of machine frame.	<input type="checkbox"/>	<input type="checkbox"/>	
5. Programmable controller	<input type="checkbox"/>	<input type="checkbox"/>	
6. Will be powered by an integrated wiring circuit and fused in machine fuse panel.	<input type="checkbox"/>	<input type="checkbox"/>	
7. Will include portable filling pump	<input type="checkbox"/>	<input type="checkbox"/>	
W. BACKUP CAMERA			
1. 7" colour screen	<input type="checkbox"/>	<input type="checkbox"/>	
2. 3 channel system with 1 camera	<input type="checkbox"/>	<input type="checkbox"/>	
3. Main wiring harness should have a factory integrated camera circuit system.	<input type="checkbox"/>	<input type="checkbox"/>	
4. Should have in cab harness connection point for monitor power and signal.	<input type="checkbox"/>	<input type="checkbox"/>	
X. WARRANTY			
1. Standard Factory Warranty to be a minimum of 2 years, or 2,000 hours whichever occurs first. Factory warranty certificate to be provided with bid.	<input type="checkbox"/>	<input type="checkbox"/>	
2. Optional Factory Extended Warranty to be an additional 1 year, or 1,000 hours for a Total Full Machine Warranty of 3 years, or 3,000 hours whichever occurs first.	<input type="checkbox"/>	<input type="checkbox"/>	
3. State cost:			
4. Optional 5 year, or 5,000 hours (whichever occurs first) articulating centre section warranty	<input type="checkbox"/>	<input type="checkbox"/>	

Preferred Technical Specifications Response Form	√ (Yes)	√ (No)	Manufacturers' Specifications of Equipment Offered. Contractor should complete all spaces in this column.
available when factory installed central automatic pressure lubrication is ordered. State cost			
Y. MISCELLANEOUS			
1. Shop service, parts information, technical	<input type="checkbox"/>	<input type="checkbox"/>	
2. Service bulletins (TSB's) SHALL be provided electronically by the authorized dealer	<input type="checkbox"/>	<input type="checkbox"/>	
3. Units shall be supplied licensed, plated and insured, done through the City of Surrey's broker	<input type="checkbox"/>	<input type="checkbox"/>	
4. Units shall meet all applicable transport regulations, both Federal and Provincial, and be permitted to be driven on roads.	<input type="checkbox"/>	<input type="checkbox"/>	
Z. SPREADER ATTACHMENT			
1. Please provide pricing and specifications for the salt spreader attachment	<input type="checkbox"/>	<input type="checkbox"/>	
AA. SWEEPER ATTACHMENT			
1. Please provide pricing and specifications for the sweeper attachment	<input type="checkbox"/>	<input type="checkbox"/>	
BB. PLOW ATTACHMENT			
1. Please provide pricing and specifications for front plow attachment	<input type="checkbox"/>	<input type="checkbox"/>	
CC. WATER TANK ATTACHMENT			
1. Please provide pricing and specifications water tank attachment	<input type="checkbox"/>	<input type="checkbox"/>	
DD. FLUSHER ATTACHMENT			
1. Please provide pricing and attachments for flusher attachment	<input type="checkbox"/>	<input type="checkbox"/>	